

# E

---

## Index

Note: Numbers in *italics* indicate a reference to a table or diagram.

---

## A

- Abatement timing, 98  
*Abies balsamea*, 275  
*Acacia*, 604  
 ACACIAScenarios, 155  
 Acidification, 302–303  
 Acidifying compound scenarios, 160  
*Adalia bipunctata*, 925  
 Adaptation. *See also* Agricultural adaptations; *specific areas*  
 agriculture, 32, 89, 237–238, 258–270  
 agronomic, 32, 238, 265–266  
 alpine ecosystem, 313  
 anticipatory, 62–63, 88  
 aquaculture, 35, 369  
 assessment of, 17  
 autonomous, 32, 88, 89, 887–889  
 barriers and opportunities for, 408–409  
 climate stimuli for, 882–883  
 coastal zone, 36, 57, 64, 345, 346, 367–369, 372  
 costs of, 269, 891–893  
 determinants of, 893  
 evaluation of, 884–885  
 to extreme climate events, 8, 223, 475  
 financial services sector and, 38, 41, 65, 420, 421, 442–445  
 forest, 239–240  
 function of, 62, 89–90, 865, 867, 879, 881, 891, 902, 904–905, 918, 920  
 funding for, 421, 442–445  
 future, 885  
 historical analogs of, 261, 265  
 human health, 44, 65, 457, 474–477, 514, 620  
 in human settlements, 35, 65, 394–395, 403–404, 406–409, 620, 624–625  
 human system, 883–884  
 inefficient, 226  
 institutional framework, 406, 408  
 lakes and streams, 303–304  
 lessons from experiences in, 889–890  
 livestock, 266–267  
 management, 405–406, 407–408  
 marine ecosystem, 345, 369–370, 372  
 mitigation and, 93–94  
 natural systems, 368  
 overview of, 879–880  
 places of, 90  
 planned, 404, 405, 406–407, 884, 890–893  
 polar regions, 60  
 rangeland, 239, 285, 286  
 reactive, 62, 88  
 by regions, 66–68, 903–905  
 risk reduction and, 437–438  
 risk spreading and, 436–437  
 in scenarios, 157–158  
 in sectors, 64–65  
 socioeconomic trends and, 937–938  
 strategies for, 885–886  
 through managed retreat, 368  
 types of, 62–63, 88–89, 883, 884  
 vulnerability reduction and, 120  
 water management and, 196–197, 218–224  
 wetlands, 241, 311  
 wildlife, 238–239  
 woodlands, 239–240  
 Adaptive capacity. *See also specific areas*  
 assessment of, 89–91, 117–118  
 of coastal zones, 64, 345, 346  
 determinants of, 895–897  
 enhancement of, 62, 63, 879–880, 898–899, 918, 920  
 explanation of, 6, 33, 63, 89, 879, 881–882, 894  
 in human systems, 918, 920  
 information needs regarding, 73  
 insurance services and, 774–775  
 of marine ecosystems, 345  
 in natural systems, 920  
 of oceans, 348  
 of regions, 66–68, 897–898  
 by scale, 899, 901–902  
 by sectors, 64–65, 900–901  
 sustainable development and, 899  
 vulnerability and, 893–895  
 of water resources management, 31–32, 194  
 Adelie penguins (*Pygoscelis adeliae*), 925  
 Ad Hoc Group on the Berlin Mandate (AGBM), 87  
*Aedes aegypti*, 467, 468, 720, 763  
*Aedes albopictus*, 418–419, 467  
*Aedes camptorhynchus*, 418–419  
 Aeroallergens, 462  
 Aerosols  
 climate change and, 77, 829  
 human health and acidic, 64, 777  
 Africa  
 adaptation and adaptive capacity for, 46, 66, 490, 499–500, 507–508, 511, 514, 520–522, 903  
 agriculture in, 501, 502, 504–508  
 arid regions in, 394  
 biomass fuel use in, 399, 516  
 climate change impacts on, 14, 521–524  
 climate change scenarios in, 489, 494  
 climate variability in, 489, 491–494, 507, 508, 521–522  
 desertification in, 46, 490, 517–520, 522, 524  
 development, sustainability, and equity and, 524–525  
 droughts in, 427, 492, 495–497, 500, 507, 523  
 economic costs and, 524  
 El Niño and, 492, 507, 519, 521, 524  
 floods in, 46, 507, 515–516  
 food production in, 270, 502, 504–507  
 food security in, 46, 489, 500, 502–508, 517, 521  
 human health in, 46, 489, 491, 512–514  
 livestock in, 506–507  
 natural resource management and biodiversity in, 46, 489, 491, 508–512, 521, 932  
 overview of, 489–492  
 political stability in, 524  
 population growth in, 45

- research needs for, 525
- uncertainty and risks in, 523–525
- vulnerability in, 44–46, 99, 489–491, 501, 513–514, 520–521, 524–525
- water resources in, 45, 409, 489, 494–500, 516, 520–521
- African trypanosomiasis, 463
- Agathis australis*, 603
- Aggregate impacts, 70, 916, 941–945, 958
- Aggregation analysis, 97, 954–955
- Agricultural adaptation
  - environmental and natural resource consequences of responses and, 268–269
  - farm and regional land use and, 267–268
  - at farm to subnational regional scales, 258–266
  - historical analogs of, 261, 265
  - modeling impacts and, 269–270
  - natural, 258
  - overview of, 237–238
  - strategies for, 32, 89
  - in tropical Asia, 577
- Agricultural pests, 276, 558, 613–614, 667, 926
- Agriculture. *See also* Crops; Crop yields; Livestock; *specific crops*
  - in Africa, 501, 502, 504–508
  - in Asia, 47, 535, 537, 551, 556–560, 577
  - in Australia/New Zealand region, 51, 52, 593, 595, 601, 608–610, 613–614, 623, 628
  - climate change impacts on, 9–12, 32–33, 42, 43, 237, 252–254, 384, 714–716, 926, 938
  - detection and, 114
  - in Europe, 53, 643, 667–669, 675–677
  - human settlements and, 394–395
  - influences on, 84
  - in Latin America, 55, 56, 696, 713–716, 721–722
  - in North America, 59, 738, 754–759
  - pressures on, 253–254
  - prices and, 270
  - recent studies of, 259–265
  - in small island states, 62, 863
  - state of global, 253
  - vulnerability of, 237–238, 270
  - water quality and, 208
  - water use for, 210–211, 718
  - wetlands and, 306
- Agroforestry, 286. *See also* Forestry
- Agroindustry, 394–395, 714
- Agronomic adaptation
  - advances in, 32
  - effects of, 238
  - studies of, 265–266
- Air conditioning, 389, 400
- Air pollution
  - adaptation to, 475
  - aeroallergens and, 462
  - in Asia, 570
  - climate change and, 384–385, 410
  - in Europe, 672–673
  - in forests, 292
  - human health and, 44, 453, 460–462, 513, 570, 719, 764–765
  - transportation activity and, 389
  - trends in, 461–462
  - in urban settlements, 43, 44, 398–399, 453, 460, 719, 752
- Albedo, 34, 824
- Aleutian Low Pressure Index, 352
- Algal blooms
  - human health risks from, 619, 659, 720, 754
  - sea-surface temperature and, 43, 366, 472
- Alpine regions. *See* Mountain regions
- Alps, 395, 660, 672
- Alternative risk transfer, 437
- Amazon River, 695, 696, 699, 709
- American trypanosomiasis, 463
- Amoebiasis, 864
- Amphibians, 69, 273–275, 924, 925
- Anchovies (*Engraulis sp.*), 351
- Animals. *See* Wildlife; *specific species*
- Anopheles gambiae*, 466
- Anopheline spp.*, 720
- Antarctic Circumpolar Current, 820
- Antarctic Peninsula, 815. *See also* Polar regions
- Antarctic region. *See* Polar regions
- Anticipatory adaptation, 62–63, 88. *See also* Adaptation; Adaptive capacity
- Aphelocoma ultramarina*, 925
- Aphids, 275
- Aplonis santovestris*, 860
- Aquaculture
  - as adaptation, 35, 369
  - adaptation by, 35, 369
  - in Asia, 568
  - climate change impacts on, 354
  - effects on fish and, 352
  - in Europe, 53, 643, 669–671
  - extreme climate events and, 354
  - production trends in, 345, 354
  - risk management in, 504
  - in small island states, 863
- Aquifers
  - groundwater recharge and, 199–200
  - seawater intrusion into freshwater, 357
  - water quality in, 207, 208
- Arbovirus infections, 418–419
- Arctic Ocean, 803–804, 819–820, 824, 828. *See also* Polar regions
- Arctic region. *See* Polar regions
- Arid regions
  - in Africa, 394
  - in Asia, 394, 540–541, 542, 554–555, 576 (*See also* Asia; *specific countries*)
  - carbon dioxide concentrations in, 34
  - human settlements in, 392, 394
  - in North America, 745, 780–781
  - streamflow in, 204
- Armillaria* root disease, 290–291

Asia. *See also specific countries*

- adaptation and adaptive capacity for, 50, 66, 536–538, 552, 574–575, 903
  - agriculture in, 47, 535, 537, 551, 556–560, 577
  - arid, 394, 540–541, 542, 554–555, 576
  - boreal, 48, 540, 542, 576
  - climate change impacts in, 14, 535–536, 578–580
  - climate change scenarios for, 544–551
  - coastal zones in, 49, 537, 555–556, 566–570
  - crop yields in, 556–558
  - droughts in, 543–544, 556
  - ecosystems and biodiversity in, 47–48, 537, 553–556
  - electricity use in, 389
  - El Niño and, 536, 552, 566–568, 573, 579
  - extreme climate events in, 49, 543–544, 572
  - floods in, 43, 206, 442, 443, 459, 543
  - food security in, 47, 560–562, 581
  - future needs for, 580–581
  - glaciers in, 553–554, 565
  - human dimensions in, 572–574
  - human health in, 49–50, 355, 537, 570–571
  - key observations regarding, 578–580
  - livestock in, 551
  - permafrost in, 555, 573, 576
  - physical and ecological features of, 539–544
  - semi-arid, 540–541, 542, 576
  - sensitivity in, 47, 551–552, 579
  - socioeconomic data on, 542
  - subregions in, 537, 539–542, 576–578, 580
  - sustainable development in, 575, 581
  - temperate, 541, 542, 576–577
  - vulnerability in, 46–50, 48, 535–536, 551–552, 574–576, 580
  - water resources in, 48, 537, 562–566
- Assessment. *See also Impact assessment*
- to address policy-relevant questions, 99–100
  - agricultural impact, 260–261
  - effect of analysis complexities on, 95–99
  - of impacts, adaptation, and vulnerability, 17, 89–95, 114–115
  - integrated, 25, 36, 94–95, 107, 118–120, 955 (*See also Integrated assessment*)
  - methods and tools of, 24–26
  - models for impact, 886–887
  - overview of, 77–78, 81–82
  - responses to, 87–89
  - “science for policy,” 132
  - scope and approach of, 21–24
  - uncertainty and, 126–132
  - what is at stake and, 82–87
- Assessment models
- for greenhouse effect, 156–158, 171
  - integrated, 94–45, 119, 120, 156, 955
  - integrated climate, 156, 157
  - use of, 107
- Asthma
- air pollution and, 649
  - in Australia/New Zealand region, 619

- pollen levels and, 462
  - thunderstorm-associated, 59, 738
- Atelopus varius*, 273
- Atlantic cod (*Gadus morhua*), 351
- Atlantic herring (*Clupea harengus*), 351
- Atmosphere-ocean general circulation models, 92, 166, 174, 544, 548, 550, 598–601, 612, 849, 850
- Atolls, 35
- Attribution analysis, 422–423
- Australian Eucalyptus trees, 604
- Australia/New Zealand region
- adaptation and adaptive capacity for, 53, 53, 66, 593–594, 596, 614, 621–629, 903
  - agriculture in, 51, 52, 593, 601, 608–610, 613–614, 628, 926
  - climate change impacts on, 15, 593–595, 607, 625–626
  - climate change scenarios in, 595, 597–600
  - climate change trends in, 596–597
  - droughts in, 52, 593, 600, 612–613
  - ecosystems in, 50–52, 51, 52, 593, 595, 600–601, 603–608, 625, 628–629
  - electric power in, 400
  - El Niño and, 52, 593, 595, 597, 600, 601, 608, 611, 612, 615, 626
  - fisheries in, 611–612
  - floods in, 593, 600, 616–617, 619
  - food production in, 52, 593, 614, 621
  - forestry in, 610–611
  - horticulture in, 51
  - human health in, 52, 53, 618–621
  - human settlements and industry in, 52–53, 593, 596, 615–618
  - indigenous communities in, 594, 601, 615, 621, 625, 627
  - inland and coastal salinization in, 602–603
  - managed retreat use in, 368
  - overview of, 593–595
  - regional concerns in, 600–601
  - research needs for, 629–630
  - socioeconomic trends in, 596
  - sustainable development in, 614
  - vulnerability in, 50–53, 593–594, 596, 601, 614, 619–620, 626–629
  - water quality in, 603
  - water resources in, 50, 593, 600, 601–602
  - wetland conservation in, 366
- Australian quokka (*Setonix brachyurus*), 274
- Autonomous adaptation. *See also Adaptation; Adaptive capacity*
- costs of, 888–889
  - crop yields and, 32
  - explanation of, 88, 89
  - use of, 887–888

**B**

- Bactrocera tryoni*, 614
- Balsam fir (*Abies balsamea*), 275

- Bangladesh  
 biodiversity in, 556  
 cholera epidemics in, 355  
 cyclones and storm surges in, 49, 366  
 droughts in, 543–544  
 floods in, 43, 206, 442, 443, 459  
 food insecurity in, 561  
 microfinance organizations in, 442
- Banking industry, 438–439
- Barnacle geese (*Branta leucopsis*), 273–274, 924–925
- Barriers, 357, 358
- Baseline, 149. *See also* Scenarios
- Bayesian assessments, 129
- Beaches. *See also* Coastal zones  
 climate change impacts on, 357, 358  
 coastal protection provided by, 356  
 sea-level rise and, 35, 356, 357, 396  
 in small island states, 857–858
- Beilschmiedia tawa*, 604
- Bengal tiger (*Panthera tigris tigris*), 69, 272
- Bermuda petrel (*Pterodroma cahow*), 35, 345, 354, 355, 860
- Betula nana*, 661
- Bioclimatic models, 110–111
- Biodiversity  
 in Africa, 46, 489, 509–511  
 in Asia, 47–48, 537, 553–556  
 climate change impacts on, 5, 250–251, 930–932  
 in Europe, 666–667, 669  
 hot spots, 278, 932  
 in Latin America, 55, 696, 699–700, 713, 723  
 quantitative assessment of, 250  
 in small island states, 61–62, 859–860  
 in wetlands, 305, 308–309
- Biogeographic models, 111, 751
- Biomass use  
 adaptation and, 394  
 in Africa, 399, 513, 523  
 in Australia/New Zealand region, 389  
 in Latin America, 709  
 trends in, 388–389
- BIOME3, 249, 250, 252
- Biotoxins, 43, 472, 721
- Birch trees, 462
- Birds. *See also specific birds*  
 climate change impacts on, 273–276, 345, 556, 924, 925  
 extinction risk for, 238  
 introduction of exotic species and, 272  
 medicinal use of, 277  
 migratory systems of, 511, 555–556  
 in polar regions, 803  
 religious importance of, 277  
 seabirds, 35, 345, 354, 355, 860  
 in small island states, 860
- Black spruce (*Picea mariana*), 251
- BLASTSIM model, 257
- Boreal Asia, 48, 540, 542, 576. *See also* Asia; *specific countries*
- Borrelia burgdorferi*, 470
- Bos indicus*, 507
- Branta leucopsis*, 924–925
- Brazil  
 agriculture in, 56  
 climate extremes in, 703  
 El Niño and, 54
- Bristle-thighed curlew (*Numenius tahitiensis*), 860
- Brown planthopper, 279
- Bruun Rule, 357
- Bufo periglenes*, 273
- Bursaphelenchus xylophilus*, 663
- Butterflies, 924
- ## C
- Canada. *See also* North America  
 forest fires in, 290  
 forests in, 751  
 human settlement trends in, 389  
 hydropower in, 399  
 insurance sector in, 739  
 ozone levels in, 764–765  
 temperature change in, 59, 761  
 use of managed retreat in, 368  
 vector-borne diseases in, 59, 762–763
- Canadian Smog Advisory Program, 764
- Cancer, 460–461, 618
- Canker diseases, 290
- Cape Floral Kingdom (South Africa), 69, 509–510, 932
- Capelin (*Mallotus villosus*), 351
- Capital contingent securities, 440
- Captive breeding, 278, 279
- Carbon dioxide concentrations  
 in arctic and alpine ecosystems, 241, 242  
 atmospheric chemistry and, 256  
 in Australia/New Zealand region, 50, 51, 52, 593, 595, 606, 608, 610, 611, 621, 625–627  
 crop yields and, 32, 33, 59, 114, 237, 254, 558, 611, 667, 668, 696, 716, 755  
 desertification and, 490, 519  
 droughts and, 237, 255  
 in Europe, 53, 643, 658  
 fires and, 523  
 forests and woodlands and, 240, 294, 663, 709, 751, 752  
 fossil-fuel use and, 349  
 global, 940  
 gross domestic product and, 82  
 in Latin America, 704, 712, 716  
 net primary production and increased, 34  
 in North America, 59, 741  
 permafrost melting and, 385  
 in polar regions, 803, 804, 816, 820, 825, 830  
 pollen production and, 462  
 rangelands and, 282–283, 604, 664  
 in small island states, 847, 859–860, 863  
 soil factors and, 256–257, 658  
 stomatal conductance and, 198  
 temperature increase and, 254–255  
 uncertainties and, 919

- water availability and, 255
- wetlands and, 308–310, 823
- Carbon dioxide scenarios, 158–160. *See also* Scenarios
- Carbon dioxide uptake, 349–350, 709
- Carbon monoxide (CO), 461
- Carbon pools, 287–288
- Carbon sequestration
  - adaptation issues and, 758
  - Africa and, 46
  - in human settlements, 752
  - North America and, 738, 752, 758–759
- Carbon sinks
  - in polar regions, 804, 823, 830
  - in wetlands, 305–306, 309–311
- Carbon storage
  - in forests and woodlands, 293, 294, 751
  - in freshwater, 297
  - in oceans, 348–350
  - in urban storage, 752
- Cardiovascular disease, 49
- Carex curvula*, 248, 825
- Caribbean Sea, 361
- Caribou, 277, 826
- Carrying capacity, 354, 477
- Cassiope tetragona*, 661
- Cataracts, 461
- Catastrophic events, 96–97
- Catchment-scale studies, 202, 203–204, 655, 656
- Catchment vegetation, 198
- Catastrophe risk securities, 440
- Causation, 111–113
- Central America. *See* Latin America
- Cereal crops. *See* Grain
- CERES-RICE model, 257
- Cervus elaphus*, 274
- Chagas' disease, 469–470, 720
- Charmosyna diadema*, 860
- Chilean Jack mackerel (*Trachurus murphyi*), 351
- China
  - arid regions in, 394
  - biodiversity in, 47
  - crop yields in, 47
  - droughts in, 543
  - floods in, 43
  - population in, 552
  - urban growth in, 388
  - water supply in, 402
- Chinstrap penguins (*Pygoscelis antarctica*), 925
- Cholera
  - in Africa, 512, 517
  - in Asia, 50, 355, 571
  - El Niño and, 927
  - floods and, 397, 472, 720
  - geographic distribution of, 56
  - in Latin America, 719–721
  - plankton and, 472
  - precipitation and, 471
  - in small island states, 865
  - transmission of, 472, 473, 720
  - water temperature and, 355, 472–473
- Chub mackerel (*Scomber japonicus*), 351
- Ciguatera poisoning, 454, 472, 619
- Circumpolar Active Layer Monitoring, 821
- Clean Development Mechanism, 444
- Clean Water Act, 748
- Cliff coasts, 357, 358
- Climate change. *See also* Extreme climate events; Impacts; Regional climate change; *specific regions and ecosystems*
  - conclusions regarding, 915–916
  - detection of response to, 107, 109–114
  - explanation of, 30
  - international responses to, 87
  - national and local responses to, 87–88
  - organizational responses to, 88
  - regional concerns regarding, 14–17
  - research needs for, 17, 225–226
  - stakes surrounding, 82–87
  - synergies and tradeoffs between other environmental issues and, 93–94
- Climate change impacts. *See* Impacts
- Climate change scenarios. *See also* Scenarios
  - for Africa, 489, 494
  - for Asia, 544–551
  - for Australia/New Zealand region, 595, 597–600
  - baseline climatologies and, 166
  - construction of, 166–169
  - for Europe, 649–653
  - explanation of, 27, 117, 147
  - human health and, 454
  - impact on water resources and, 217
  - irreversible changes and, 6
  - methods of, 163, 165–166
  - navigation opportunities and, 215, 218
  - for North America, 756
  - purpose of, 147, 163
  - with stabilized radiative forcing, 258
  - transient, 260–261
  - types of, 164–165
  - uncertainty in, 169–170
- Climate envelope models, 248–249
- Climate extremes. *See* Extreme climate events; *specific climate conditions*
- Climate variability. *See also* El Niño–Southern Oscillation (ENSO); *specific areas*
  - assessing impact of, 116–117
  - crop yields and, 757
  - diurnal, 258–259
  - effects of natural, 258
  - in forests, 289
  - human health and, 454
  - hydrology and water resources and, 196, 209, 222
  - management of, 623
  - patterns of, 226
  - projections for, 92
  - tuna migration and, 351, 353

- CLIMEX model, 466, 614  
 CLIMACTS integrated assessment model, 608, 622  
 Clouds and Earth's Radiant Energy System (CERES), 260  
*Clupea harengus*, 351, 351  
*Clupea sp.*, 351  
 CO<sub>2</sub>. *See* Carbon dioxide concentrations  
 Coastal cells, 678  
 Coastal squeeze, 360, 649  
 Coastal wetlands. *See also* Wetlands  
   in Asia, 567  
   climate change impacts on, 358, 360  
   in Europe, 659, 660  
   in Latin America, 716, 717  
   in North America, 753  
 Coastal zones. *See also* Beaches; Mangrove ecosystems;  
   Marine ecosystems  
   adaptation and adaptive capacity for, 36, 57, 64, 345,  
     346, 367–369, 372, 900  
   in Africa, 46  
   in Asia, 49, 537, 555–556, 566–570  
   in Australia/New Zealand region, 51, 601, 606–607,  
     616–618, 628  
   beaches, barriers, and cliffs and, 357–358  
   climate change impacts on, 11–12, 35, 36, 38, 345–347,  
     356, 359, 370–372, 925, 937  
   deltaic, 358  
   erosion in, 35, 356, 357, 396, 644, 753, 820, 857  
   in Europe, 54, 644, 658–660, 672, 677–679  
   floods in, 395  
   high-latitude, 362  
   human activities and settlements in, 395–397, 515, 569,  
     766–767  
   human health and, 472–473  
   infrastructure in, 384  
   in Latin America, 699, 716–718  
   in North America, 738, 753–754  
   overview of, 345–346, 356  
   sea-level rise in, 12, 345, 348, 356–372, 395–396,  
     473–474, 515, 937 (*See also* Sea-level rise)  
   in small island states, 61, 857–858  
   socioeconomic impacts on, 346, 356, 362–367  
   state of knowledge about, 347–348  
   tourism and recreation in, 395, 672, 769–770  
   tropical reef, 361–362  
   vulnerability of, 36, 363, 367–368, 371  
   wetland, 358, 360, 567, 659, 660  
 Coccoliths, 349  
 Cold spells  
   human health and, 696, 761  
   in Latin America, 703  
   projections for, 92  
 Cold temperature areas, 203–204  
 Collared lemming (*Dicrostonyx groenlandicus*), 276  
 Commercial sector, 400  
 Common Agricultural Policy (CAP) (European Union), 667  
 Community participation, 286  
 Complex extremes, 92, 180. *See also* Extreme climate  
   events  
 Confidence level  
   for impacts on human settlements, 392  
   quantitative assessment of, 24  
   scales for, 79, 392  
   variations in, 391–392  
 Conjunction fallacy, 131  
 Conservation  
   in Europe, 666–667  
   landscape management and, 607–608  
   of rare species, 931–932  
   of wetlands, 366  
 Construction, 401  
 Consumptive demands, 210  
 Conventional Development Scenario (CDS), 210  
 Coral bleaching, 355, 361–362, 368, 606, 626, 847, 934  
 Coral reefs  
   in Asia, 567–568  
   in Australia/New Zealand region, 595, 601, 606, 607, 627  
   climate change impacts on, 35, 61, 62, 245, 346,  
     361–362, 366, 717, 933–934  
   degradation of, 366  
   disease affecting, 355, 361  
   functions provided by, 356, 361, 366  
   in Latin America, 717  
   in small island states, 717, 847, 858–859  
   threats to, 69  
 Corporate self-insurance market, 430. *See also* Insurance  
   sector  
 Correlative data, 111–113  
 Cost-benefit analysis (CBA), 134  
 Cost-effectiveness analysis (CEA), 98, 135–136  
 Costing. *See also* Economic issues; Valuation  
   in Africa, 524  
   alternative metrics for measuring, 125–126  
   assessment and, 25–26  
   elements of, 120–122  
   equity and distribution and, 124–125  
   market impacts and, 122  
   methods of, 107–108, 120  
   nonmarket impacts and, 122–123  
   uncertainty and, 123–124  
 C<sub>3</sub> plants, 283–284, 309, 604  
 C<sub>4</sub> plants, 283–284, 604  
 Cree communities, 280  
 Crop-climate models, 114  
 Crop models  
   studies of, 237, 258–261, 267, 269–270  
   uncertainty in, 267, 268  
 Crop pests, 276, 558, 613–614, 667, 926  
 Crops. *See also* Agriculture; *specific crops*  
   adaptation by, 258  
   diseases in, 47, 558  
   grain (*See* Grain crops)  
   rice, 258–260, 397, 556–558  
 Crop substitution, 677  
 Crop yields. *See also* Agriculture  
   in Africa, 504–506  
   in Asia, 556–558, 561

in Australia/New Zealand region, 609–610, 926  
 carbon dioxide concentrations and, 32, 33, 59, 114, 237, 254, 558  
 climate change impacts on, 9–12, 32, 237, 254–258, 454, 926  
 in Europe, 53, 643, 667–669  
 irrigation and, 758  
 in Latin America, 55, 56, 699, 724  
 in North America, 755–758, 926  
 nutrition and, 473  
 projections for, 5, 6  
 recent studies of, 259–266  
 Cross-cutting issues guidance papers, 80, 81  
 Cryosphere  
   in Asia, 555  
   changes in, 109–110  
   in Latin America, 695, 707  
   in polar regions, 821  
 Cryptosporidium, 514, 764, 864  
 CSIRO model, 267  
 Cyanobacteria, 817  
 Cyclones. *See* Tropical cyclones  
 Cyclosporiasis, 472

## D

Dairy farming, 608. *See also* Agriculture  
 Damages, 419  
 Decadal-scale studies, 352, 355  
 Decision analysis  
   adaptation studies and, 134  
   approaches to, 108  
   explanation of, 134–135  
   to support adaptive decisions, 133–134  
   use of, 26, 97, 136–137  
 Deforestation  
   extreme climate events and, 409  
   in Latin America, 55–56, 696, 708–711  
   malaria and, 464  
   in tropical regions, 239  
 Deltas  
   in Asia, 49, 345, 567  
   climate change impacts on, 358  
 Demands, 209–210  
 Demography. *See* Population  
*Dendrolimus sibirica*, 664  
 Dengue fever  
   in Australia/New Zealand region, 619  
   El Niño and, 864  
   in Europe, 673  
   explanation of, 467–468  
   in Latin America, 397, 719, 720  
   in North America, 59, 738, 763  
   populations at risk for, 463, 763  
   in small island states, 864, 865  
 Dermo disease, 355  
 Desertification  
   in Africa, 46, 490, 517–520, 522, 524  
   climate change impacts on, 239, 490

climatic forces in, 518–519  
 impacts of, 519–520  
 in Latin America, 710–711  
 nonclimatic forces in, 517  
 rangelands and, 284–285  
 vulnerability and adaptation and, 520  
 Deserts. *See* Rangeland ecosystems  
 Detection  
   advances in and future needs for, 114  
   interpretation of causation and, 111–113  
   in managed systems, 113–114  
   in natural systems, 109–111  
   process of, 107, 109  
 Developed countries. *See also specific countries*  
   adaptation to climate change in, 238  
   effect of climate change in, 8, 70, 71  
   sea-level rise in, 370–371  
 Developing countries. *See also specific countries*  
   adaptation to climate change in, 238  
   air pollution in, 460  
   in Asia, 572–573  
   climate change impacts in, 8, 41–42, 421  
   financial sector and disasters in, 440–442  
   food insecurity in, 253  
   food supply in, 43, 721  
   health impact on, 477, 719, 720  
   natural disaster losses in, 440–441, 458–459  
   sea-level rise in, 371  
   undernourishment in, 86  
   vehicle ownership in, 389  
   vulnerability in, 8, 70–71, 442, 458–459, 719  
*Diapensia lapponica*, 661  
 Diarrheal diseases  
   in Asia, 50, 571  
   extreme climate events and, 459, 460, 720  
   in Latin America, 721  
 Diatoms, 349, 818  
 DICE model, 622  
*Dicrostonyx groenlandicus*, 276  
 Direct damages, 419  
 Disasters. *See also* Droughts; Extreme climate events;  
   Floods; *specific climate events*  
   economic effects of, 441–442  
   ecosystems and, 749  
   health impacts of, 459, 474, 475, 719  
   insurance sector and, 441, 773–774 (*See also* Insurance  
   sector)  
   statistics on, 440–441  
   vulnerability for, 442, 458–459, 719, 768  
 Discontinuous responses, 93  
 Discount rate, 97–98, 945  
 Diseases. *See also* Human health; Mosquito-borne diseases;  
   Vector-borne diseases; Water-borne diseases; *specific  
   diseases*  
   climate change and, 12, 42–44, 397, 453–454, 462–463,  
   619, 620, 927  
   crop, 47, 558, 755  
   food-borne, 12, 472, 674, 765

- fungal, 472
  - in marine ecosystems, 355, 366, 454, 764
  - rodent-borne, 397, 471
  - sea-surface temperature and, 46, 355, 366, 472–473, 490
  - tick-borne, 470–471
- Distributional effects, 97
- Disturbance releases, 240
- Diurnal temperature range, 547–548, 646
- DNA, 112
- Domoic acid, 764
- Drinking water, 514
- Drosophila*, 925
- Droughts
  - in Africa, 427, 492, 495–497, 500, 507, 523
  - in Asia, 543–544, 556
  - in Australia/New Zealand region, 52, 593, 600, 612–613
  - carbon dioxide concentrations and, 237, 255
  - change in frequency of, 206–207
  - in Europe, 649
  - human health and, 460, 489, 864
  - hydrological, 206–207
  - insurance services sector and, 426–427
  - in Latin America, 54, 709, 712, 721
  - in North America, 59, 744, 753, 755, 757
  - projections for midcontinental summer, 92
  - social and economic systems affected by, 4
  - vulnerability to, 460
  - water resources and, 206–207
- Dryandra*, 604
- Drylands, 554–555. *See also* Arid regions
- Dunes, 356
- Dynamic simulation models, 114
- E**
- Earthquakes, 422. *See also* Extreme climate events
- East Australian Current (EAC), 612
- Eastern spruce budworm (*Choristoneura fumiferana*), 291
- Ecological modification paradigm, 248
- Economic issues. *See also* Costing; Financial services sector; Insurance sector; Valuation
  - climate change impacts and, 9, 401–402
  - developing countries and, 8, 389
  - extreme climate events and, 396, 402, 419, 422, 441–442, 697, 749
  - floods and droughts and, 4, 425–426, 749, 750
  - human settlements and, 36
  - oil and gas extraction and, 827–828
  - pollution and, 828–829
  - sea-level rise and, 363, 365
  - vulnerable populations and, 33
  - water demand and, 9
- Ecosystem change models, 252
- Ecosystem movement paradigm, 248, 249
- Ecosystems. *See also specific ecosystems*
  - adaptation and adaptive capacity for, 64, 84, 900
  - biodiversity change and, 250–252
  - climate change impacts on, 244, 924
  - current models of change in, 247–250
  - disruption of, 33–34, 46
  - global change responses by, 248
  - goods and services provided by, 242, 243, 245, 281–285, 294–295, 311–312, 360, 366, 713
  - impact of floods on, 749 (*See also* Floods)
  - observational studies of, 246–247
  - overview of, 237, 243–244
  - pressures on, 33
  - research needs across, 314–315
  - water and, 224
- Ecotones, 932–933
- Ecotourism, 277
- Egypt
  - climate change impacts on crops in, 505–506
  - sea-level rise in, 38, 396
- Electricity
  - in Africa, 496, 500
  - climate change and transmission systems for, 400
  - trends in use of, 389
- El Niño–Southern Oscillation (ENSO). *See also* Extreme climate events
  - Africa and, 492, 507, 519, 521, 524
  - agriculture and, 237, 397
  - areas affected by, 34
  - Asia and, 536, 552, 566–568, 573, 579
  - Australia/New Zealand region and, 52, 593, 595, 597, 600, 601, 608, 611, 612, 615, 626
  - climate variability and, 54, 56, 196
  - coastal zones and, 358, 361
  - coral reefs and, 361, 933–934
  - fish and, 345
  - human health and, 42–43, 56, 397, 453, 472, 476, 513, 721, 763, 764, 864
  - hydrological behavior and, 196
  - impact of, 116
  - Latin America and, 54, 56, 695–696, 699, 702–703, 705, 707, 709–713, 721, 722–723, 724
  - marine ecosystems and, 35, 348, 384, 394
  - marine ecosystems diseases and, 355, 454, 764
  - North America and, 763, 768
  - projections for more intense, 92
  - rangelands and, 239, 282
  - seabirds and, 355
  - small island states and, 60, 62, 847–849, 852–854, 861, 864
  - tuna catch and, 353
  - wetlands and, 241
  - wildlife and, 273
- Emission abatement, 98
- Empetrum hermaphroditum*, 661
- Encephalitis
  - mosquito-borne, 454, 463, 468, 621
  - Murray Valley, 53, 620
  - in North America, 762
  - tick-borne, 470–471
- Endangered Species Act, 748, 754
- Endemism, 34, 242
- Endorheic lakes, 204–205. *See also* Lakes

- Energy absorption, 34
- Energy demand
- in Australia/New Zealand region, 617
  - climate change impact on, 399–401, 671
  - in Europe, 671
  - heat island effects and, 385, 400
  - projections for, 5, 6, 384
  - for space cooling, 38, 389, 400
- Energy systems
- in Africa, 496, 500, 516
  - renewable energy and, 399
  - trends in, 388–389
  - vulnerabilities associated with, 437
- Engraulis ringens*, 350, 351
- Engraulis sp.*, 351
- ENSO. *See* El Niño–Southern Oscillation (ENSO)
- Environmental legislation, 706–707. *See also specific legislation*
- Environmental scenarios. *See also* Scenarios
- of acidifying compounds, 160
  - carbon dioxide, 158–160
  - explanation of, 26, 147
  - of marine pollution, 163
  - purpose of, 158
  - of tropospheric ozone, 160–161
  - UV-B radiation, 161–162
  - water resource, 162–163
- Environment envelope models, 248–249
- Epirrita autumnata*, 826
- Equilibrium line altitude (ELA), 208–209
- Equity
- adaptive capacity and, 897
  - climate change and, 385, 420
  - in human settlements, 389, 391
  - for insurance services, 42, 438, 775
- Ericaceous*, 826
- Eriophorum vaginatum*, 308, 825
- Erosion
- beach/coastal, 35, 356, 357, 396, 644, 753, 820, 857
  - cliff, 357, 358
  - river channel, 209
  - soil, 237, 614
- Estuaries
- in Asia, 553, 567
  - in Australia/New Zealand region, 607
  - in Europe, 659, 671, 678
  - in North America, 749–750, 753–754
  - toxic algal blooms in, 366, 754
  - water quality in, 607, 749–750
- Europe
- adaptation and adaptive capacity for, 54, 67, 674–679, 904
  - agriculture in, 53, 643, 667–669, 675–677
  - biodiversity and conservation in, 643, 666–667
  - climate change impacts in, 15, 643–644, 679
  - climate change scenarios for, 649–653
  - climate variability in, 646–647, 648, 654
  - coastal zones in, 54, 644, 658–660, 672, 677–679
  - droughts in, 649
  - economy in, 645–646
  - energy use in, 671
  - financial and insurance services in, 53–54, 671
  - fisheries in, 643, 669–671
  - floods in, 43, 53–54, 644, 649, 659
  - food security in, 53
  - forests in, 662–664
  - freshwater ecosystems in, 665–666
  - geography, population, and environment in, 645
  - human health in, 54, 644, 672–674
  - hydrological cycle in, 655–656
  - industry and transportation in, 671–672
  - migratory animals in, 667
  - mountain regions in, 643, 660
  - rangelands in, 664–665
  - regional issues in, 680–681
  - research needs for, 680
  - sensitivity and, 647, 649
  - socioeconomic scenarios for, 653, 655
  - soils and land resources in, 643, 656–658
  - sustainable development in, 680–681
  - tourism in, 643, 672
  - uncertainty and, 679–680
  - vulnerability in, 53–54, 643
  - water management in, 643, 656
  - water resources in, 53, 643, 655
- Eutrophication
- in Australia/New Zealand region, 603, 605
  - climate change and, 301–302
- Evaporation, 198–199
- Evapotranspiration, 708, 754
- Events. *See* Extreme climate events
- Exoheric lakes, 204–205. *See also* Lakes
- Exotic species
- in Australia/New Zealand region, 627
  - extinction and introduction of, 272
  - in lake and stream ecosystems, 300
- Exploratory scenarios, 150. *See also* Scenarios
- Extinction
- fires and, 556
  - increased risk of, 5, 11, 33
  - introduction of exotic species and, 272
  - species threatened with, 69
  - wildlife, 238, 239, 271–272
- Extreme climate events. *See also* Disasters; El Niño–Southern Oscillation (ENSO); *specific climate events*
- adaptation to, 8, 223, 475
  - in Asia, 49, 543–544, 572
  - in Australia/New Zealand region, 593, 599–600, 627
  - economic costs of, 396, 402, 419, 422, 749
  - in Europe, 647
  - financial services and insurance sector and, 38–42, 421–427, 431, 770–775 (*See also* Insurance sector)
  - forests and woodlands and, 294–295
  - human health and, 43, 44, 56, 62, 387, 397, 453, 458–460, 474, 475, 513, 761–762, 864, 886

impacts of, 29, 72, 116, 180, 237, 749, 947–948, 955–956, 958–959  
 in Latin America, 695, 696, 703, 719  
 in North America, 56, 769  
 oceans and, 348  
 projected changes in, 6, 7  
 social vulnerability and, 223  
 typology of, 92  
 wildlife and, 272–273

## F

Famine, 460

Farming. *See* Agriculture; Crop yields; *specific crops*

*Festuca supina*, 662

Fiber production, 306

*Ficedula hypoleuca*, 274

Filariasis, 864, 865

Financial services sector. *See also* Insurance sector  
 adaptation and adaptive capacity for, 38, 41, 65, 420, 421, 442–445, 901  
 in Asia, 573–574  
 in Australia/New Zealand region, 617  
 banking industry and, 438–440  
 climate change impacts and, 13–14, 38–42, 401, 421–427  
 co-benefits relevant for, 436  
 developing countries and, 440–442  
 equity issues for, 438  
 in Europe, 53–54  
 explanation of, 421  
 extreme climate events and, 38–42, 421–427  
 overview of, 419–420  
 private and public insurance and, 427–438  
 vulnerability of, 419, 421  
 water and, 225

Fires

climate change and, 461, 599, 703, 713  
 extinction and, 556  
 forest, 48, 289–290, 556, 696, 751–752, 759  
 in human settlements, 384  
 insurance sector and, 426–427  
 management regimes for, 615, 625, 737, 752  
 rangeland, 282

Fisheries

adaptation by, 304  
 in Africa, 46, 489, 503–504  
 artisanal, 384  
 in Asia, 568, 575  
 in Australia/New Zealand region, 593, 611–612, 629  
 climate change impacts on, 299–300, 347, 384, 489, 670–671, 760, 926  
 development of sustainable, 35  
 in Europe, 53, 643, 669–671  
 largest, 351  
 in Latin America, 705, 717  
 management of, 760  
 in North America, 57, 59, 738, 760  
 overview of, 297

in polar regions, 818, 827  
 production trends in, 354  
 sea-level rise and, 56  
 sea-surface temperature and, 760  
 in small island states, 62, 863

Fisheries settlements, 394–395

Fishes. *See also* Marine fishes; *specific fishes*  
 climate change impacts on, 760  
 in polar regions, 818, 827, 829  
 risks affecting, 754  
 seabirds and consumption of, 355

Fishmeal, 354

Fish oils, 354

Fish reserves, 369

Flood insurance, 369, 431. *See also* Insurance sector

Floods. *See also* Precipitation  
 in Africa, 46, 507, 515–516  
 in Asia, 543  
 in Australia/New Zealand region, 593, 600, 616–617, 619  
 in Bangladesh, 43, 206, 442, 443, 459  
 climate change and, 750  
 in Europe, 53, 54, 644, 659  
 human settlements and, 4, 5, 12, 13, 43, 383, 395–396, 401  
 insurance services sector and, 425–426  
 magnitude and frequency of, 31, 205–206  
 in North America, 749–750, 762, 768  
 precipitation and, 5, 9, 49, 197, 750  
 prevention measures for, 750  
 risk of, 5, 9, 750  
 sea-level rise and, 5, 708  
 in small island states, 856, 860  
 social and economic systems and, 4, 13  
 societal vulnerability to, 223, 749, 750  
 water pollution and, 749–750, 762

Flying foxes (*Pteropus spp.*), 860

*Foggaras*, 392

Food-borne diseases. *See also* Diseases; Human health  
 climate change and, 12, 472  
 in Europe, 674  
 in United States, 765

Food prices

climate change impacts on, 11, 238  
 effect of temperature on, 33

Food security

in Africa, 46, 489, 500, 502–508, 517, 522  
 in Asia, 47, 560–562, 581  
 climate change impacts on, 9–11, 32–33  
 components of, 84  
 in Europe, 53  
 improvements in, 85, 253  
 in Latin America, 696  
 in small island states, 863

Food supply

climate change impacts on, 43  
 drought and, 460  
 growth in, 253

Food web, 817, 818, 820

## Forest ecosystems

- adaptation options for, 239–240, 295–296
- in Africa, 508–509
- in Asia, 554, 555
- in Australia/New Zealand region, 51, 603–604, 610–611, 628
- carbon storage and, 293–294, 751
- climate change impacts on, 59, 239–240, 286–287, 289, 389, 750–751
- in Europe, 662–664
- human settlements in, 394
- in Latin America, 55–56, 696, 708–710, 724
- managed, 6, 34, 296
- in North America, 59, 737, 750–752
- pressures on, 289–292
- recreation activities in, 295, 296
- status and trends for, 287–289
- timber and non-wood goods and services of, 294–295
- tropical, 708–710
- vulnerability of, 296

## Forest fires

- in Asia, 48, 556
- insect attacks and, 752
- in Latin America, 696
- in North America, 751–752
- pressures from, 289–290
- trends in, 759

Forestry. *See also* Agroforestry; Timber

- in Australia/New Zealand region, 610–611
- in Europe, 643
- in North America, 738, 759–760
- plantation, 715–716

## Fossil fuels

- carbon dioxide emissions from, 349
- extraction of, 399
- in small island states, 868
- trends in use of, 389

Free-air CO<sub>2</sub> enrichment (FACE) experiment, 198, 240, 255

## Freshwater ecosystems

- climate change impacts on, 11, 33–34
- in Europe, 665–666

## Fungal infections, 472, 720

**G***Gadus morhua*, 351Galapagos penguin (*Spheniscus mendiculus*), 355*Gallinula pacifica*, 860*Gallirallus lafresnayamus*, 860

## General circulation model (GCM)

- atmosphere, 92, 166, 174, 544, 548, 550, 551, 598–601, 612, 849, 850
- climate scenarios and, 147, 167–169, 174, 494, 550–551
- coarse-resolution, 267
- decadal-scale variability and, 352
- improvements for, 225
- testing of, 252
- use of, 27, 111, 116, 195–196, 198, 202, 206–208, 384, 503, 535, 598, 599, 704, 710, 745, 803

## variations in, 250

## Western Europe and, 645

## Geometrid moths, 825

GHG. *See* Greenhouse gases (GHG)

## Giardia, 621, 763–764, 864

## Glaciers

- in Asia, 553–554, 565
- climate change impacts on, 194, 208–209, 362
- effects of retreat of, 752–753
- in Latin America, 54–55, 695, 700, 707, 713, 722
- in North America, 752
- in polar regions, 803, 810, 814–815 (*See also* Polar regions)
- projections for, 28, 30
- tropical, 208–209, 928, 930

## Global Atmospheric Research Program (GARP), 88

## Global Biodiversity Assessment, 250–251

## Global Energy and Water Cycle Experiment (GEWEX), 780

## Global Environmental Facility (GEF), 87, 100, 444

## Global vegetation dynamic models, 114

## Global Water Partnership, 197

Golden toad (*Bufo periglenes*), 273*Gorilla gorilla beringei*, 69, 272Grain crops. *See also* Agriculture; Crop yields

- in Asia, 558–560
- in Australia/New Zealand region, 609, 926
- climate change impacts on, 254, 473
- cultivation of, 556, 667–668
- in Europe, 667–668
- exports of, 559
- in Latin America, 713
- temperature variations and, 237

Grasslands. *See* Rangeland ecosystemsGray wolf (*Canis lupus*), 275Great Britain. *See* United Kingdom (UK)

## Great Lakes-St. Lawrence Basin Project (GLSLB), 778

Great Tits (*Parus major*), 275Greenhouse gas emissions. *See also specific gases*

## Greenhouse gases (GHG)

- in Asia, 544, 545, 547, 581
- in Australia/New Zealand region, 593, 613, 627
- biomass burning and, 523
- climate change and, 21, 22, 77, 111, 544, 573, 944
- efforts to reduce, 87–88, 118, 758, 759, 917
- human health and, 475, 476
- hydroelectric plants and, 297
- impact distribution and, 71
- indicators used for, 918
- Kyoto Protocol and, 758
- in Latin America, 710
- in North America, 784
- in polar regions, 60, 804, 816, 820, 829–832
- precipitation and, 597
- in small island states, 849, 854–855, 867
- socioeconomic scenarios and, 115
- uncertainties and, 919
- vehicle ownership and, 389

## “Ground for Choices” study, 156

- Groundwater recharge  
 climate change impacts on, 9, 30–31, 194, 535  
 water resources and, 199–200
- H**
- Habitat. *See also* Ecosystems  
 conversion of, 272  
 marine ecosystems and, 348–349  
 sea ice reduction and, 818  
 wetlands and, 305, 754
- Hail, 384
- Halocline, 811
- Halophila engelmanni*, 859
- Halophila wrightii*, 859
- Hantavirus, 397, 471, 763
- Hard shore protection schemes, 369
- Harlequin frog (*Atelopus varius*), 273
- Health. *See* Food-borne diseases; Human health; Infectious diseases; Vector-borne diseases; Water-borne diseases; *specific diseases*
- Heat islands. *See also* Urban settlements  
 energy demand and, 385, 400  
 human health and, 397
- Heat-related injury (HRI), 762
- Heat stress  
 in Asia, 49  
 in Australia/New Zealand region, 596  
 climate change and, 5, 397–398  
 in Europe, 672
- Heat waves  
 in Australia/New Zealand region, 619  
 human health and, 43, 384, 453, 696, 761, 939  
 in Latin America, 703  
 in North America, 56  
 projections for, 92
- Hemorrhagic fever, 468
- Herpetogramma licarialis*, 614
- Herrings (*Clupea sp.*), 351
- Heterotrophic respiration, 240
- High-altitude regions. *See* Mountain regions
- Highland regions. *See* Mountain regions
- High-latitude ecosystems  
 adapting to expected changes in, 34  
 climate change impacts on, 362, 665, 780  
 fisheries in, 829
- Himalayas, 553–554
- Holdridge climatic correlation model, 252
- Human Development Index (HDI), 503
- Human health. *See also* Diseases; Indigenous communities; *specific diseases*  
 adaptation and adaptive capacity for, 44, 65, 457, 474–475, 514, 620, 901  
 aeroallergens and, 462  
 in Africa, 46, 489, 491, 512–514  
 air pollution and, 44, 453, 460–462  
 in Asia, 49–50, 355, 537, 570–571  
 in Australia/New Zealand region, 52–53, 593, 596, 618–621, 629  
 climate change impacts on, 12, 42–44, 397, 453–457, 477, 718–720, 761–765, 927, 939  
 coastal water issues and, 472–473  
 costing impacts related to, 477  
 demographic and economic disruption and, 473–474  
 detection and, 113–114  
 development, sustainability, and equity and, 477  
 El Niño and, 42–43, 56, 397, 453, 472, 476, 721  
 in Europe, 54, 644, 672–674  
 extreme climate events and, 43–44, 56, 62, 387, 397, 453, 458–460, 474, 475, 761–762, 886  
 floods and, 12, 43, 397, 459–460, 468, 489, 674, 719, 720, 738  
 food yields and nutrition and, 473  
 heat waves and, 43, 384, 453, 457–458  
 HIV/AIDS and, 491, 513  
 infectious diseases and, 12, 42, 56, 462–472  
 in Latin America, 56, 397, 696, 700, 718–722  
 milder winters and, 458  
 mitigation policies and, 475–476  
 in North America, 59, 738, 761–765  
 poverty and, 366, 397, 718, 719  
 research and monitoring needs and, 476–477  
 sea-level rise and, 473–474, 621  
 sea-surface temperature and, 454, 720  
 in small island states, 62, 864–865  
 storms and tropical cyclones and, 460  
 vulnerability and, 457, 474, 477  
 water and, 225
- Human population. *See* Population
- Human settlements. *See also* Indigenous communities; Infrastructure; Rural settlements; Urban settlements  
 adaptation and adaptive capacity for, 35, 65, 394–395, 403–404, 406–409, 620, 624–625, 901  
 in Africa, 46, 489–490, 514–517, 522  
 in arid and semi-arid regions, 392, 394  
 in Australia/New Zealand region, 52–53, 593, 595–596, 615–618, 629  
 climate change impacts on, 12–13, 36–44, 383–385, 387–399, 926–927  
 climate-sensitive industries and, 399–402  
 in coastal zones, 365–366, 766–767  
 economic productivity and, 384  
 in Europe, 53–54  
 floods in, 4, 5, 12, 13, 43, 383, 395–397, 401 (*See also* Floods)  
 in mountain regions, 553  
 nonlinear interactions and synergistic effects in, 410  
 in North America, 56–57, 738–739, 765–769  
 overview of, 387–388  
 in polar regions, 60, 394, 804, 814–815, 826–829, 832  
 research needs for, 410–411  
 resource-dependent, 392, 394–395  
 sensitivity of, 5  
 in small island states, 62, 864, 935  
 vegetation in, 752  
 vulnerability of, 5–6, 12–14, 44, 388–389, 391–399, 409–410, 458–459, 624–625, 767–769

water demand in, 9  
 water resources in, 224–225 (*See also* Water resources)

Hurricanes. *See also* Extreme climate events; Tropical cyclones  
 economic loss from, 697  
 exposure to, 223  
 in Latin America, 703, 705  
 in North America, 762

Hydroelectric power  
 in Africa, 496, 500, 516  
 in Asia, 573  
 in Australia/New Zealand, 601  
 climate change and, 297, 384, 399  
 in United States, 399

Hydrological cycle  
 climate change and climatic variability and, 209  
 drought frequency change and, 206–207  
 in Europe, 649, 655–656  
 evaporation and, 198–199  
 flood frequency change and, 205–206  
 glaciers and small ice caps and, 208–209  
 groundwater recharge and resources and, 199–200  
 human health and, 720  
 lakes and, 204–205  
 in Latin America, 696  
 overview of, 195  
 precipitation and, 197  
 river channel form and stability and, 209  
 river flows and, 200–204  
 soil moisture and, 199  
 water quality and, 207–208

Hydrological models, 195–196, 226

Hydrology. *See also* Water demand; Water resources  
 Arctic, 804, 821, 823–824, 832  
 catchment-level, 34, 241  
 climate change impacts on, 195–197, 924  
 effects on and vulnerability of, 9  
 overview of, 195  
 in polar regions, 821, 823  
 wetlands and changes in, 306–307

*Hylocomium splendens*, 826

Hypoxia, 780

## I

Ice caps  
 climate change impacts on, 208–209, 814  
 in polar regions, 810

Ice cover  
 algae growth and, 817  
 lake, 298–299  
 ocean, 349, 354  
 in polar regions, 823–824

Ice sheets  
 changes in, 803, 811, 814–815, 832  
 West Antarctic, 951

Ice shelves  
 in Antarctic Peninsula, 815–816  
 role of, 816–817

Ice storms, 762, 778–779

Illness. *See* Diseases; Food-borne diseases; Human health; Vector-borne diseases; Water-borne diseases; *specific diseases*

IMAGE 2, 250, 507

Impact assessment  
 coastal, 357, 937  
 function of scenarios in, 149–150  
 methods for, 402, 524  
 models for, 886–887  
 scales of analysis for, 114–115

Impacts. *See also specific areas and ecosystems*  
 aggregate, 70, 916, 941–945, 958  
 conclusions regarding, 915–916, 927–928, 956–959  
 detection and attribution of, 65, 67–68, 90, 91  
 distribution of, 70–72, 916, 938–941, 957–958  
 economic costs of, 396, 401–402, 936  
 estimating first-order, 116  
 extreme and irreversible effects of, 945–952  
 of extreme climate events, 29, 916, 958–959 (*See also* Extreme climate events)  
 indicators to measure, 917–918  
 information needs regarding, 72–73  
 key determinants of, 91–93  
 market, 97, 122  
 methods of analysis of, 921–922, 952–956  
 nonmarket, 97, 122–123  
 observations of, 920–921  
 reasons for concern regarding, 917  
 of singularities, 72, 916, 946–951, 956, 959  
 synthesis of observed, 922–927  
 on unique and threatened systems, 68–69, 916, 928–936, 953–954, 957

Incremental scenarios, 163, 165. *See also* Scenarios

India  
 air pollution in, 460  
 biodiversity in, 47  
 cyclones and storm surges in, 49  
 population in, 552

Indian Ocean. *See also* Oceans  
 coral bleaching in, 361, 366  
 warming in, 361, 492

Indicator species, 24–25, 107, 109–114

Indigenous communities. *See also* Human settlements  
 in Australia/New Zealand region, 594, 601, 615, 621, 625, 627  
 climate change impacts on, 935–936  
 in Latin America, 699  
 in North America, 765, 935–936  
 in polar regions, 60, 805, 826–827, 832

Indirect damages, 419

Infectious diseases. *See* Diseases; Human health; Mosquito-borne diseases; Vector-borne diseases; Water-borne diseases; *specific diseases*

Infrastructure. *See also* Human settlements; *specific areas*  
 adaptation and adaptive capacity for, 766, 896  
 in Africa, 46, 489–490, 514–517, 522  
 in Asia, 572

- in Australia/New Zealand region, 615–617, 620, 625
  - buildings and transportation and, 402–403
  - climate change impacts on, 36, 38, 383
  - in North America, 56–57, 766
  - in permafrost regions, 385
  - in polar regions, 828
  - privatization and, 388
  - sea-level rise and, 38, 365–366, 384
  - in small island states, 62, 864
  - water supply and demand and, 402
  - Inland wetlands. *See also* Wetlands
    - adaptation options for, 311
    - carbon sink and, 305–306, 309–311
    - climate change impacts on, 34, 241, 307–311
    - in Europe, 665–666
    - food and fiber production and, 306
    - habitat and biodiversity of, 305
    - overview of, 304–305
    - pressures on, 306–307
    - vulnerability of, 311
  - Insects
    - climate change impacts on, 294, 555
    - in forests, 290–291, 752, 759
    - migration, 511, 667
    - pest, 276, 558, 613–614, 667, 926
    - winter kill of, 755
  - INSIGHT model, 622–623
  - Instream demands, 210
  - Instrumentally based analogs, 166
  - Insurance, flood, 369, 431
  - Insurance sector. *See also* Financial services
    - adaptation and adaptive capacity for, 65, 432–438, 901
    - in Australia/New Zealand region, 617
    - climate change impacts on, 13–14, 38–42, 401, 578
    - climate events relevant to, 423–427
    - cost of uncertainty and, 123–124
    - developing countries and, 440–442
    - distribution of global, 428
    - in Europe, 53–54, 643, 671
    - in Latin America, 706
    - life/health, 429
    - in North America, 59, 739, 770–775
    - overview of, 419–420
    - private and public, 427–431
    - property/casualty, 429
    - vulnerability of, 419, 421, 431–435
  - Integrated assessment. *See also* Assessment
    - approaches to, 107, 118–120, 622–623, 955
    - costal zone and marine ecosystem, 36
    - explanation of, 25, 94–95, 107
    - methodological bias in, 119
  - Integrated assessment model (IAM)
    - application of, 95, 156
    - explanation of, 94–95, 119
    - impacts and, 120, 886–887, 944, 955, 956
    - numerical, 887
    - use of, 107, 525
  - Integrated Climate Assessment Model (ICAM), 156, 157
  - Integrated coastal management (ICM), 857–858
  - Integrated coastal zone management (ICZM), 570, 596
  - Integrated Model for the Assessment of the Greenhouse Effect (IMAGE), 156–158, 171
  - Integrated water resources management (IWRM), 223
  - Intergovernmental Panel on Climate Change (IPCC)
    - Asia and, 551, 552, 554, 557, 569, 578
    - background of, 21
    - baseline statistics published by, 152
    - Common Methodology, 362–363, 866
    - Data Distribution Center, 115, 167, 489, 653
    - First Assessment Report, 347, 348, 384
    - function of, 87
    - Guidelines for National Greenhouse Gas Inventories*, 867
    - previous assessments of, 91, 127–129, 361
    - regional reports of, 356, 539, 707–708
    - Second Assessment Report, 9, 11, 24, 77, 81, 89, 90, 114, 127, 128, 196, 203, 213, 237, 238, 240, 250, 252, 268, 293–295, 347, 348, 363, 367, 383, 420, 421, 455, 716, 807, 847
  - International Federation of the Red Cross and Red Crescent Societies (IFRC-RCS), 441, 615
  - International Geosphere-Biosphere Programme (IGBP), 196
  - International Global Change Institute, 866
  - Inter-Tropical Convergence Zone (ITCZ), 492
  - Invertebrates
    - climate change impacts on, 273–275, 924
    - as decomposers and soil maintainers, 276
  - IPCC Data Distribution Centre (IPCC-DDC), 115, 167, 489, 653
  - Irrigation
    - climate change impacts on, 211–212
    - demand for, 758
    - energy use for, 400
    - malaria and, 464
    - rangelands and, 282
    - secondary salinization and, 239, 285
    - water use for, 210, 211, 757–758
  - Islands. *See* Small island states; *specific islands*
  - Isostatic loading, 358
  - Ixodes persulcatus*, 470
  - Ixodes ricinus* complex, 470
  - Ixodes scapularis*, 470
  - Ixodid ticks, 673
- ## J
- Jack mackerel (*Trachurus declivis*), 351
  - Japan
    - agrarian structures in, 395
    - droughts in, 543
    - energy use in, 400
    - storm surges in, 365
  - Japanese cedar, 462
  - Juvenile red deer (*Cervus elaphus*), 274
- ## K
- Karez*, 392
  - Katsuwonus pelamis*, 351, 353

- Killer whales, 354  
 Kiwifruit cultivation, 610  
 Krill, 803, 818, 925  
 Kyoto Protocol  
   Clean Development Mechanism, 442  
   explanation of, 87  
   Latin America and, 707  
   provisions of, 420, 443–444, 758  
   responses to, 88, 784
- L**
- Ladybird beetles (*Adalia bipunctata*), 925  
 Lakes  
   adaptation for, 240, 303–304  
   in Asia, 553  
   biogeochemical cycling and pollution and, 301–303  
   climate change impacts on, 240, 665, 749  
   fisheries and biodiversity and, 299–301  
   flood frequency and, 205–206  
   goods and services of, 297, 298  
   heterogeneity in response of, 303  
   hydrological drought frequency of, 206–207  
   overview of, 296–297  
   physical conditions of, 298–299  
   recreation and, 303  
   types of, 204–205  
   vulnerability of, 240, 304  
   water quality in, 207–208
- Land cover, 155  
 Land-cover change scenarios. *See also* Scenarios  
   application and interpretation of, 158  
   development of, 156–157  
   explanation of, 26, 147  
   purpose of, 155–156  
   types of, 157–158
- Landscape management  
   in Australia/New Zealand region, 607–608  
   explanation of, 285
- Landslides, 383, 395  
 Land use  
   adaptation in, 267–269  
   explanation of, 155  
   human, 251–252  
   hydrological system and, 195  
   soil conditions and, 238  
   water quality effected by, 208
- Land-use change  
   in arctic and alpine ecosystems, 242, 313  
   in Asia, 577–578  
   in Australia/New Zealand region, 603, 627  
   forests and, 292  
   pollen and, 462  
   rangelands and, 282  
   in tropical regions, 239  
   wetlands and, 307
- Land-use scenarios. *See also* Scenarios  
   application and interpretation of, 158  
   development of, 156–157  
   explanation of, 26, 147  
   purpose of, 155–156  
   types of, 157–158
- La Niña. *See* El Niño–Southern Oscillation (ENSO)  
 Largehead hairtail (*Trichiarus lepturus*), 351  
 Latin America. *See also specific countries*  
   adaptation and adaptive capacity in, 67, 696–697, 904  
   agriculture in, 55, 56, 696, 713–716  
   biodiversity in, 55, 696, 699–700, 713  
   climate change impacts in, 15, 695–697, 707–708, 722–724  
   climate change scenarios in, 703–705, 718  
   climate variability in, 700–703, 714, 722–723  
   droughts in, 54, 709, 712, 721  
   electricity use in, 389  
   El Niño and, 54, 56, 695–696, 699, 702–703, 705, 707, 709–713, 721, 722–723, 724  
   environmental legislation in, 706–707  
   extreme climate events in, 695, 696, 703, 719, 723  
   glaciers in, 54–55, 695, 700, 707, 713, 722  
   human health in, 56, 397, 696, 700, 718–722, 724  
   hydropower in, 399  
   indigenous communities in, 699  
   sea-level rise in, 56, 696, 716–718  
   socioeconomic issues in, 705–706, 717  
   trade in, 697, 706  
   vulnerability in, 54–56, 696–697  
   water resources in, 54–55, 695, 718
- Leach's storm petrels (*Oceanodroma leucorhoa*), 355  
 Leeuwin current, 611, 612  
 Leishmaniasis, 468–469, 673  
 Lepidoptera, 664  
 Leptospira, 471  
 Leptospirosis, 471, 719, 720  
 Level of certainty. *See* Confidence level  
 Lightning, 427, 751  
*Limantria dispar*, 664  
 Liquid waste disposal, 409  
 Livestock  
   adaptation and, 9, 33, 238, 266–267  
   in Africa, 506–507  
   in Asia, 551  
   climate change impacts on, 257–258, 757  
   in Europe, 669  
   in Latin America, 714, 715  
   in North America, 757  
   rangelands and, 282
- Local Agenda 21s, 38  
 Locusts, 511  
*Lutzomyia*, 469  
 Lyme disease  
   climate change and, 454, 470  
   in Europe, 673  
   in North America, 59, 738, 763
- Lymphatic filariasis, 463
- M**
- Mackenzie Basin Impact Study (MBIS), 759  
 Maize production, 505, 507, 610

- Malaria
- in Africa, 927
  - in Asia, 571
  - in Australia/New Zealand region, 619, 621
  - climate change and, 454, 464–466, 927
  - in Europe, 673
  - explanation of, 463–464
  - extreme climate events and, 460, 476, 719
  - highland, 465
  - in Latin America, 720
  - modeling and, 465–466
  - in North America, 59, 738, 762–763
  - prevention of, 475, 514
  - in small island states, 864, 865
  - temperature and, 464, 465
  - transmission of, 12, 397, 464, 465, 467
- Mallotus villosus*, 351
- Malnourishment. *See also* Human health
- in Africa, 502
  - in Asia, 560, 561
  - climate change impacts on, 42, 43
  - in developing countries, 86
  - droughts and, 460
  - effects of, 473
- Mammals. *See also specific mammals*
- climate change impacts on, 35, 274–276
  - extinction risk for, 238
  - introduction of exotic species and, 272
  - marine, 35, 345, 354–355
  - migratory systems of, 511
- Managed retreat, 368
- Managed systems
- in Australia/New Zealand region, 623–624
  - detection in, 113–114
- Mangrove ecosystems. *See also* Coastal zones
- in Asia, 567
  - climate change impacts on, 35, 62, 345, 934–935
  - goods and services provided by, 360, 366
  - in Latin America, 696, 717
  - sea-level rise in, 56, 61, 360, 934
  - as sediment trap, 356
  - in small island states, 859
  - threats to, 69
- Manufacturing, 400
- Manus fantail (*Rhipidura semirubra*), 860
- Marine aquaculture. *See* Aquaculture
- Marine ecosystems. *See also* Coastal zones; Oceans
- adaptation in, 345, 369–370, 372
  - in Australia/New Zealand region, 51, 605–607, 628
  - biological processes and, 349
  - carbon dioxide uptake and, 349–350
  - climate change impacts on, 11–12, 34–36, 43, 224, 345–347, 370–372, 925
  - diseases and toxicity in, 355, 366, 454, 764
  - El Niño and, 35, 348, 384, 394
  - habitat and, 348–349, 818
  - human activities in, 753
  - in North America, 57
  - ocean ranching and, 354
  - overview of, 345–346
  - in polar regions, 817–818, 828, 832
  - state of knowledge about, 347–348
  - wildlife in, 35, 345, 354–355, 745
- Marine fisheries. *See* Fisheries
- Marine fishes
- abundance and distribution of, 351, 352
  - catch data for, 350
  - climate change impacts on, 34, 35, 345, 350–353, 760
- Marine mammals
- climate change impacts on, 35, 345, 354–355, 760
  - in polar regions, 803, 817, 818, 826
- Marine organisms, 112
- Marine pollution scenarios, 163. *See also* Scenarios
- Meningitis
- in Africa, 472, 512–513
  - climate change and, 56
- Methane (CH<sub>4</sub>)
- energy technology and, 399
  - freshwater and, 297
  - permafrost melting and, 385
  - polar regions and, 385, 823
  - wetlands and, 306
- Mexican jays (*Aphelocoma ultramarina*), 925
- Mexico. *See also* North America
- agriculture in, 56, 755
  - climate extremes in, 703
  - El Niño and, 54, 56, 695–696, 703
  - forests in, 56, 710
  - human development in, 741, 742
  - population of, 743
- Middle East, 394, 409
- Migration
- bird, 511, 667
  - climate variability and, 351, 353
  - determining need for, 251
  - human, 397, 511–512, 572
  - insects, 511, 667
  - mammal, 511
  - in polar regions, 805, 818, 826, 829
  - soil degradation and, 672
  - urban settlements and, 397
- Mining industry, 389, 827
- Mitigation
- Africa and strategies for, 510–511
  - financial services role in, 421
  - secondary health benefits of, 475–476
  - synergies and tradeoffs between adaptation and, 93–94
- Models
- bioclimatic, 110–111
  - biogeographic, 111
  - biological, 466
  - crop, 237, 258–261, 267, 269–270, 756
  - crop-climate, 114
  - dynamic simulation, 114
  - general circulation, 27, 92, 111
  - global vegetation dynamic, 114

- human health, 465–466, 468
  - integrated, 94–95, 107
  - ocean-climate, 830
  - wildlife, 275–276
  - Moinia dubia*, 504
  - Monsoons, 552. *See also* Extreme climate events
  - Montreal Protocol, 707
  - Morbidity
    - air pollution and, 453, 719
    - extreme climate events and, 453, 696
  - Mortality
    - air pollution and, 453
    - extreme climate events and, 421, 459, 696
    - heat-related, 5, 49, 397–398, 453, 474, 516, 596, 619, 696, 761
    - projected reduced winter, 6
  - Mosquito-borne diseases. *See also* Diseases; Human health; *specific diseases*
    - climate variations and, 619, 621, 720, 927
    - types of, 12, 59, 397, 454, 460, 463–468, 619
  - Mountain gorilla (*Gorilla gorilla beringei*), 69, 272
  - Mountain regions
    - adaptation for, 34, 241–242, 313–314
    - in Asia, 543, 553
    - in Australia/New Zealand region, 593, 601, 605
    - climate change impacts on, 241, 312–313
    - in Europe, 643, 660–662, 672
    - goods and services provided by, 311–312
    - in Latin America, 696, 699, 711–713, 723
    - in North America, 745, 752–753
    - overview of, 311
    - vulnerability of, 241–242, 314
  - MSX (multinucleated spore unknown), 355
  - Murray Valley encephalitis, 53, 620
  - Myocarditis, 763
- N**
- Nardus stricta*, 825
  - Natural disasters. *See* Disasters; Extreme climate events
  - Natural gas
    - extraction of, 827–828
    - trends in use of, 389
  - Natural resource management
    - in Africa, 46, 489, 508–512
    - in Asia, 575
  - Natural systems
    - adaptation within, 368
    - climate change summary for, 28–36
    - detection in, 109–111
    - socioeconomic impacts and, 366
    - vulnerability, 4–5, 623
  - Neocalanus tonsus*, 607
  - Net biome productivity (NBP), 247
  - Net ecosystem productivity (NEP), 247, 289, 293
  - Net primary productivity (NPP)
    - estimates of, 247
    - forests and woodlands and, 240, 289, 293
    - rangelands and, 283
  - New Caledonian lorikeet (*Charmosyna diadema*), 860
  - New Caledonian rail (*Gallirallus lafresnayamus*), 860
  - New Zealand. *See* Australia/New Zealand region
  - New Zealand kauri tree (*Agathis australis*), 603
  - Nitrates, 207, 751
  - Nitrogen deposition, 250, 751
  - Nitrogen dioxide (NO<sub>2</sub>), 461, 764
  - Nitrogen scenarios, 160. *See also* Scenarios
  - Nitzchia pungens*, 764
  - Nitzshia subcurvata*, 349
  - Non-wood forest products (NWFP), 239, 289, 295
  - Normative scenarios, 150. *See also* Scenarios
  - North America
    - adaptation and adaptive capacity in, 57, 67, 739, 775–783, 784, 904
    - agriculture in, 59, 738, 754–759, 926
    - carbon sequestration in, 738
    - climate change impacts in, 16, 56–59, 737–739, 741, 783–784, 924, 925
    - climate change scenarios for, 739, 744, 754–755
    - coastal zones in, 738, 753–754
    - droughts in, 59, 744, 753, 755, 757
    - fisheries in, 57, 59, 738, 760
    - floods in, 749–750, 762, 768
    - forests in, 59, 737, 738, 750–752
    - glaciers in, 752, 811
    - human development in, 741, 742
    - human health in, 59, 738, 761–765
    - human settlements and infrastructure in, 56–57, 738–739, 765–769
    - indigenous communities in, 765, 935–936
    - insurance industry in, 59, 739, 770–775
    - mountains in, 745, 752–753
    - production forestry in, 738, 759–760
    - protected areas in, 59, 738, 752–754
    - tourism in, 739, 769–770, 827
    - trade and, 743–744
    - unique aspects about, 741–744
    - urbanization in, 743
    - vulnerability in, 739
    - water management in, 742–743
    - water quality in, 748–749
    - water resources in, 57, 58, 737, 745–748
    - wetlands in, 753
    - wildlife in, 754
  - North American Free Trade Agreement (NAFTA), 743
  - North Atlantic Oscillation (NAO)
    - Africa and, 45, 492, 519
    - Europe and, 647, 925
    - polar regions and, 811
  - Northern gannet (*Sula bassana*), 355
  - North Pacific Decadal Oscillation (NPDO), 597
  - Nothofagus*, 604, 663
  - Numenius tahitiensis*, 860
- O**
- Oceanodroma leucorhoa*, 355
  - Ocean ranching, 354

- Oceans. *See also* Marine ecosystems  
 adaptive capacity of, 348  
 carbon storage in, 348–350  
 climate change impacts in, 347  
 climate change impacts on, 11–12, 34–36, 345, 370, 384  
 extreme climate events and, 348, 394  
 overview of, 347  
 state of knowledge about, 347
- Ocean waves, 35–36, 359
- Ocean wind, 348
- Odonata, 667
- Oil extraction, 827
- Oncorhynchus nerka*, 351
- Onchocerciasis, 463
- Operophtera spp.*, 826, 829
- Opportunity costs, 120–121
- Organization for Economic Cooperation and Development (OECD) countries, 389, 670
- Orthoptera, 667
- Ostrich (*Struthio camelus*), 277
- Ozone (O<sub>3</sub>)  
 human health and, 461, 462, 719, 764–765  
 ultraviolet radiation and depletion of, 461, 571, 818
- P**
- Pacific Decadal Oscillation (PDO), 351, 849
- Pacific Islands Climate Change Assistance Program, 868
- Pacific Ocean, 361. *See also* Oceans
- Pacific salmon (*Oncorhynchus sp.*), 352, 354, 829
- Pacific Salmon Treaty, 760
- Palaeoclimatic analogs, 165–166
- Paleoclimatology, 493, 812
- Panicum virgatum*, 394
- Panthera tigris tigris*, 69, 272
- Particulates, 461, 719, 765
- Parus major*, 275
- Paspalum dilatatum*, 608
- Patagonian toothfish, 818
- Peatlands, 304–305. *See also* Wetlands
- Penguins, 275, 925
- Perkinsus marinus*, 355
- Permafrost. *See also* Polar regions  
 in Asia, 555, 573, 576  
 explanation of, 820  
 infrastructure and, 385  
 in polar regions, 804, 808, 812, 820–821, 822, 832
- Permanent Interstate Committee for Drought Control in the Sahel, 496
- Peroxyacetyl nitrate (PAN), 399
- Peruvian anchovy (*Engraulis ringens*), 350, 351
- Pesticides, 276, 278, 279, 756
- Pfiesteria*, 366, 764
- Phaeocystis antarctica*, 349
- Pharomachrus mocinno*, 69, 272
- Phenology  
 lake and river, 298  
 rangeland, 284  
 wildlife, 274
- Philaenus spumarius*, 274
- Phlebotomus*, 469
- Photosynthesis, 349
- Photovoltaic technology, 573
- Physical systems, 3, 928, 930
- Phytoplankton  
 blooms, 50, 472  
 productivity of, 817, 818
- Picea abies*, 662
- Picea mariana*, 251
- Pied Flycatcher (*Ficedula hypoleuca*), 274, 925
- Pilchards (*Sardinops sp.*), 351
- Pinus radiata*, 611
- Pinus sylvestris*, 662
- Plague, 470, 513
- Planned adaptation  
 anticipatory, 62–63, 88, 890–891  
 use of, 404, 405, 406–407, 884, 890–893 (*See also* Adaptation; Adaptive capacity)
- Plantations  
 benefits and drawbacks of, 292  
 in Latin America, 715–716
- Plant migration models, 251
- Plant productivity, 247, 283. *See also* Agriculture; Crop yields
- Polar bears, 345, 354–355
- Polar regions  
 adaptation and adaptive capacity for, 57, 68, 241–242, 313–314, 804–805, 831–832, 905  
 Antarctic, 804, 812–813  
 Antarctic Peninsula changes in, 803, 815  
 Arctic, 810–812  
 Arctic hydrology in, 804, 821, 823–824  
 biota in, 804, 805, 814, 815, 821, 824–826  
 characteristics of, 809–810  
 climate change impacts on, 13, 241, 275, 312–313, 713, 803–804, 829–831  
 climate change scenarios for, 813–814  
 coastal recession rates and, 362  
 economic issues relevant to, 826–829  
 fisheries in, 818, 827  
 freshwater systems in, 665  
 goods and services provided by, 242, 311–312  
 human settlements in, 394, 804, 814–815, 826–829, 832  
 ice sheet and glacier changes in, 803, 814–815  
 indigenous communities in, 60, 805, 826–827, 832  
 organisms in, 817–818  
 overview of, 311, 807  
 permafrost in, 804, 808, 820–821, 822  
 sea ice in, 59–60, 803–805, 808, 819–820  
 Southern Ocean changes in, 803, 815–818  
 sustainable development in, 805  
 vulnerability in, 59–60, 314, 394, 804–805, 831–832
- Policy exercise (PE) approach, 136
- Pollen, 462, 719
- Pollination, 276, 279–280
- Pollution, 272, 828–829. *See also* Air pollution; Water pollution

- Pollution management, 618  
 Polyarthritis, 621  
 Population  
   in Africa, 45  
   in Asia, 552, 580  
   desertification and, 517  
   economic effects on vulnerable, 33  
   in Europe, 645  
   in Latin America, 699  
   in Mexico, 743  
   in North America, 765–766  
   trends in, 388  
   in water-stressed countries, 213, 214  
 Port facilities, 366  
 Post-traumatic stress disorder (PTSD), 762  
 Poverty  
   in Asia, 552  
   effect of climate extremes and, 6  
   health and, 366, 397, 718, 719  
   in urban areas, 388  
 Precipitation. *See also* Floods  
   in Africa, 489, 492, 493, 496, 497  
   in Asia, 535, 536, 541, 543, 546, 548–550, 554  
   in Australia/New Zealand region, 593, 594, 596–599  
   disease and, 397, 453–454, 696  
   in Europe, 647, 648, 658, 666  
   floods from, 5, 9, 49, 197, 750  
   hydrological cycle and, 197, 924  
   insurance sector and, 39–40, 424–425, 425–427  
   in Latin America, 696, 700–701, 708, 711–713, 716, 718, 720, 723, 724  
   in North America, 744, 748–750, 755, 761, 764, 783  
   in polar regions, 811, 823, 824  
   projections for, 92  
   in small island states, 848–849, 852–854, 861  
   streamflow and groundwater recharge variations and, 30, 700, 701  
   trends in, 197, 349  
 Prime Minister's Science, Engineering and Innovation Council (PMSEIC) (Australia), 614, 623  
*Prosbonia cancellata*, 860  
 Protected areas, 59, 738, 752–754  
*Pterodroma cahow*, 35, 345, 354, 355, 860  
*Pteropus spp.*, 860  
 Pterygium, 461  
*Puffinus girseus*, 355  
*Pygoscelis adeliae*, 925  
*Pygoscelis antarctica*, 925
- Q**  
*Qanats*, 392  
 Queensland fruit fly (*Bactrocera tryoni*), 614
- R**  
 Radiation. *See* UV-B radiation  
 Radon, 460–461  
 Ragweed, 462  
 Rainfall. *See* Precipitation  
 Ranching, 714–715  
 Rangeland ecosystems  
   adaptation options for, 239, 285–286  
   in Asia, 554  
   in Australia/New Zealand region, 604  
   climate change impacts on, 239, 280–281  
   in Europe, 664–665  
   fires and, 282  
   goods and services of, 281–285  
   in Latin America, 710–711, 714–715  
   vulnerability and sensitivity of, 286  
*Rangifer tarandus*, 829  
*Rangifer tarandus groenlandicus*, 277  
 Reactive adaptation, 62, 88. *See also* Adaptation; Adaptive capacity  
 Recreation. *See also* Tourism  
   climate change impacts on, 395  
   forests and, 295, 296  
   lakes and, 303  
   in North America, 769–770  
 Red deer, 925  
 Red tides, 764  
 Reef-dwelling foraminifera, 355  
 Reefs. *See* Coral reefs  
 Reference, 149  
 Refuges, 278  
 Regional climate change  
   biological or physical processes in ecosystems and, 33  
   emergent findings related to, 3–4, 927  
   uncertainties in, 95  
 Regional climate models (RCM), 550, 551  
 Regions. *See specific regions*  
 Reindeer, 826, 829  
 Reinsurance, 429, 434–435. *See also* Insurance sector  
 Remote-sensing data, 111  
 Renewable energy  
   energy supply from, 399  
   health benefits of using, 476  
   indigenous communities and, 827  
   in small island states, 868  
 Reptiles, 273–275, 924, 925  
 Reserves, 278  
 Resource degradation, 32–33  
 Resource-dependent settlements  
   agricultural and fisheries, 394–395  
   in arid and semi-arid regions, 392, 394  
   economic and social relationships in, 394–395  
   explanation of, 392  
   in forests, 394  
   in polar regions, 394  
   tourism and recreation in, 395  
 Respiratory disorders  
   air pollution and, 764–765  
   in Asia, 49  
   fires and, 461  
   in Latin America, 719, 721  
   in North America, 738, 764–765  
 Resplendent Quetzal (*Pharomachrus mocinno*), 69, 272

- Responses  
 adaptive, 88–89  
 international, 87  
 national and local governmental, 87–88  
 organizational, 88  
*Rhipidura semirubra*, 860  
 Rice cultivation. *See also* Crop yields  
 in Asia, 556–558, 560–561  
 El Niño and, 397  
 temperature and, 258–260  
 Rift Valley fever (RVF), 489, 513, 514  
 Risk, 21–22, 420  
 Risk analysis, 221  
 Risk financing, 440  
 Risk management, 618, 627, 893  
 Risk Prediction Initiative, 437  
 Risk reduction, 436–437  
 Risk spreading, 436–437  
 River channel erosion, 209  
 Riverine ecosystems  
 in Australia/New Zealand region, 602, 605–606  
 human settlements in, 395  
 River Rhine, 215, 218  
 Rivers  
 adaptation for, 240  
 climate change impacts on, 38, 240  
 vulnerability of, 240  
 water quality in, 207–208  
 Rockhopper penguins, 925  
 Rocky Mountain Spotted Fever, 763  
 Rodent-borne diseases, 397, 471, 763–764  
 Ross River virus, 53, 620  
 Runoff  
 in Africa, 45, 496  
 in Asia, 48, 535, 562–565  
 average annual change in, 202  
 in coastal regions, 395  
 in Latin America, 54, 696  
 in North America, 57, 737, 745, 747, 750  
 in polar regions, 60, 823–824  
 water resources and, 200–206  
 Rural settlements. *See also* Human settlements  
 climate change impacts on, 36, 37, 387  
 economic effects on, 36  
 in Latin America, 714
- S**  
 SADC Regional Early Warning Unit, 508  
*Sardinella pilchardus*, 351  
 Safe corridors, 119  
 Salinization  
 in Australia/New Zealand region, 602–603  
 explanation of, 657–658  
 Latin America and, 708  
 North America and, 749  
 secondary, 239, 285  
 small island states and, 864  
*Salix spp.*, 661  
 Salmon, 351, 352, 670  
*Salmo salar*, 670  
 Salp, 925  
 Salt marshes  
 climate change impacts on, 35, 345–346, 360  
 as sea defense, 356  
 Salt ponds, 62  
 Saltwater intrusion, 46  
 Samoan moorhen (*Gallinula pacifica*), 860  
 Samoan white-eye (*Zosterops samoensis*), 860  
 Sand mining, 857  
 Sanitation, 516–517  
 Santo Mountain starling (*Aplonis santovestris*), 860  
 Sardines (*Sardinops sp.*), 351, 352  
 Savannas. *See also* Rangeland ecosystems  
 in Africa, 506, 509  
 in Latin America, 710–711  
 Scenarios. *See also* Special Report on Emissions Scenarios (SRES)  
 climate change (*See* Climate change scenarios)  
 compatibility between, 174–175  
 Conventional Development, 210  
 environmental, 26, 147, 158–163  
 explanation of, 147, 149  
 exploratory, 150  
 future needs for development of, 28, 148, 179, 181  
 land-use and land-cover change, 26, 147, 155–158  
 nonclimatic, 147  
 normative, 150  
 representing interactions in, 171–175  
 role of, 26, 149–151  
 sea-level rise, 26–27, 147–148, 170–171  
 socioeconomic, 26, 115, 147, 151–155  
 of 21st century, 27–28, 148, 175–179  
 types of, 147–148  
 of variability and extreme events, 116, 171  
 water management policy and, 221  
 Schistosomiasis, 463, 469, 864  
*Scomber japonicus*, 351  
 Seabirds. *See also* Birds  
 climate change impacts on, 35, 345, 354, 355  
 in small island states, 860  
 Sea dikes, 369  
 Seagrasses  
 disease affecting, 355  
 effects of rising temperature and sea level on, 61, 62  
 in small island states, 859  
 Sea ice  
 in Arctic Ocean, 803–804, 819–820, 832  
 marine mammals and, 826, 925  
 in polar regions, 59–60, 803–805, 808, 810–811, 819–820, 826–828  
 projections for, 349  
 reduction of, 355, 811, 815, 817–819, 828  
 role of, 819  
 snow on, 819  
 in Southern Ocean, 817, 818, 820  
 Sea-ice marginal zone, 817

- Sea-level rise  
 in Africa, 46, 515  
 in Asia, 49, 535, 556, 567, 578  
 in Australia/New Zealand region, 52, 595, 597, 606–608, 621, 625, 627  
 climate change and, 34, 35, 925  
 coastal aquifers and, 199–200  
 coastal zones and, 12, 345, 348, 356–372, 395–396, 473–474, 515, 766, 937  
 economic costs of, 363, 365  
 in Europe, 658–659, 661, 671  
 floods and, 5, 708  
 human health and, 473–474, 621  
 infrastructure damage and, 38, 365–366, 384  
 insurance sector and, 427  
 in Latin America, 56, 696, 708, 716–718, 724  
 mangroves and, 56, 61, 360, 934  
 in North America, 753  
 polar regions and, 814, 815, 829–830  
 in small island states, 60–62, 849, 855–856, 860, 861, 864, 865, 869  
 statistics on, 348  
 tourism and, 395  
 wetlands and, 308
- Sea-level rise scenarios. *See also* Scenarios  
 application of, 171  
 baseline conditions and, 170  
 explanation of, 26–27  
 global average, 170  
 purpose of, 147–148, 170  
 regional, 170–171  
 variability and, 171
- Seals, 354
- Sea otters, 354
- Seasonal forecasting, 46, 490
- Seasons  
 extreme, 647, 649  
 human health and, 461, 472  
 tourism and recreation and, 761
- Sea-surface temperature (SST)  
 aquaculture and, 345  
 in Asia, 568  
 in Australia/New Zealand region, 606, 607  
 climate change impacts on, 34, 35, 347, 348  
 coral reefs and, 361  
 fish behaviors and, 352  
 fisheries and, 760  
 human health and, 46, 355, 366, 454, 472–473, 490, 720  
 in Indian Ocean, 361, 492  
 in polar regions, 811  
 in small island states, 61, 849–850, 859  
 toxicity and, 355
- Seawalls, 369
- Second Assessment Report (SAR) (Intergovernmental Panel on Climate Change), 9, 11, 24, 77, 81, 89, 90, 114, 127, 128, 196, 203, 213, 237, 238, 240, 250, 252, 268, 293–295, 347, 348, 363, 367, 383, 387, 420, 421, 455, 644, 716, 807, 847
- Seed dispersal, 276
- Semi-arid regions  
 in Asia, 540–541, 542, 576 (*See also* Asia; *specific countries*)  
 carbon dioxide concentrations in, 34  
 human settlements in, 392, 394  
 irrigation in, 239  
 in North America, 745, 782  
 streamflow in, 204
- Senegal River Basin (SRB), 508
- Sensitivity. *See also specific areas*  
 of aggregate estimates, 943–945  
 of agricultural production, 254  
 of Arctic Ocean to river flow, 824  
 assessment of, 89–91  
 of biodiversity hot spots, 932  
 explanation of, 6, 91–92  
 of human health outcome, 457  
 of human settlements, 5, 409–410  
 information needs regarding, 73  
 rangeland, 286  
 of water demand to climate change, 211–212  
 of water resource system, 212  
 of wildlife, 280
- Setonix brachyurus*, 274
- Shellfish  
 climate change impact on, 352  
 coastline protections and, 753  
 production of, 354
- Shellfish poisoning  
 amnesic, 764  
 toxic algae and, 454, 472, 619, 754 (*See also* Algal blooms)  
 types of, 764
- Shigella, 621, 864
- Silvicultural yields, 56, 715–716, 724
- Simple extremes, 92, 180. *See also* Extreme climate events
- Singular phenomena, 92. *See also* Extreme climate events
- Sin Nombre virus, 763
- Skipjack tuna (*Katsuwonus pelamis*), 351, 351, 353
- Small island states  
 adaptation and adaptive capacity in, 68, 865–868, 905  
 aquifers in, 200  
 biodiversity of, 61–62, 859–860  
 characteristics of, 847  
 climate change impacts on, 17, 845–849, 868–869  
 climate change scenarios for, 849–854, 856  
 coastal zones in, 61, 857–858  
 coral reefs in, 717, 847, 858–859  
 economic and sociocultural impacts on, 62, 865  
 ecosystems in, 61–62, 847  
 El Niño and, 60, 62, 847–849, 852–854, 861, 864  
 equity and sustainable development in, 60–61, 854–855  
 food security in, 863  
 human health in, 62, 864–865  
 human settlements in, 61, 62, 395, 864, 935  
 mangroves in, 859  
 research needs for, 869–870

- seagrasses in, 859
- sea-level rise in, 60–62, 849, 855–856, 860, 861, 864, 869
- tourism in, 61, 62, 861–862
- vulnerability in, 60–62, 849, 866–867
- water resources in, 62, 860–861, 864
- Smog, 764–765. *See also* Air pollution
- Snow. *See also* Precipitation
  - accumulation in polar regions, 823
  - on sea ice, 819
  - surface albedo and, 829
- Socioeconomic issues
  - adaptation and, 937–938
  - in Asian countries, 542
  - in Australia/New Zealand region, 596
  - climate change and, 85–87, 926
  - coastal zones and, 346, 362–367
  - in Latin America, 705–706, 717
  - in small island states, 62, 865
  - uncertainties and, 95–96
- Socioeconomic resilience
  - in coastal regions, 371–372
  - explanation of, 36, 363, 367–368
- Socioeconomic scenarios. *See also* Scenarios; *Special Report on Emissions Scenarios* (SRES)
  - baseline conditions in, 152
  - construction of, 152–154
  - dimensions and attributes of, 153
  - for Europe, 653, 655
  - explanation of, 26, 147
  - purpose of, 151–152
  - use of, 115, 154–155
- Sockeye salmon (*Oncorhynchus nerka*), 351
- Soil
  - acidification of, 751
  - degradation of, 32, 238, 257, 657–658, 672
  - in Europe, 656–658, 675
  - evaporation and, 199
  - nutrients in, 256–257, 825
  - in polar regions, 825
  - properties of, 237, 657, 658
- Soil erosion, 237, 614. *See also* Erosion
- Soil organic carbon (SOC), 256
- Solar radiation, 461, 809–810
- Sooty shearwaters (*Puffinus girseus*), 355
- South America. *See* Latin America
- South American pilchard (*Sardinops sagax*), 351
- Southern Africa Development Community (SADC), 499–500
- Southern Ocean. *See also* Polar regions
  - biology of, 817–818
  - climate change impacts on, 803, 815–816, 830, 831
  - ice shelves in, 816–817
  - sea ice in, 817, 818, 820
- South Pacific Regional Environment Programme (SPREP), 866
- Space cooling, 38, 389, 400
- Space heating, 400
- Spatial analogs, 165, 166
- Special Report on Emissions Scenarios* (SRES) (Intergovernmental Panel on Climate Change)
  - atmospheric composition and global climate implications and, 176
  - Australia/New Zealand regions and, 598, 600, 644
  - baselines used in, 115
  - polar regions and, 813–814
  - population growth and, 388
  - regional mean climate implications and, 176–179
  - scenarios in, 3, 5, 27–28, 82, 154, 175–176, 179, 545, 547, 704, 813, 919
  - sea-level rise and, 348
- Special Report on Regional Impacts of Climate Change* (RICC) (Intergovernmental Panel on Climate Change), 50, 77, 95, 347, 387, 494, 539, 593, 645, 708, 716, 741, 751, 807–808
- Spectacled bear (*Tremarctos ornatus*), 69, 272
- Spheniscus mendiculus*, 355
- Spittlebugs (*Philaenus spumarius*), 274
- Stakeholder-determined thresholds, 116
- State-Pressure-Impact-Response-Adaptation model, 252
- Steepland settlements, 395
- Stochastic simulation, 221
- Stomatal conductance, 198, 255
- Storm surges
  - in Asia, 49, 365, 366, 568–569
  - in Australia/New Zealand region, 52, 599, 600, 616, 619
  - in coastal zones, 396
  - in polar regions, 820
  - in small island states, 856
  - studies of changes in, 359
- Streamflow
  - in Asia, 48
  - climate change impacts on, 9, 28, 30–32, 194, 202–204
  - hydropower and, 399
  - in Latin America, 54, 55, 700, 701, 703
  - in North America, 745, 749, 757, 777
  - river channel erosion and, 209
  - trends in, 200–202
  - water resources and, 200–204
- Streams
  - acidification in, 302–303, 751
  - adaptation for, 303–304
  - in Asia, 553
  - heterogeneity in responses of, 303
  - toxic substances in, 303
  - vulnerability of, 304
  - water quality in, 207
- Struthio camelus*, 277
- Subarctic regions, 345, 665. *See also* Polar regions
- Subsidiary Body for Scientific and Technological Advice for the Conference of the Parties, 539
- Subsistence hunting, 277
- Subtropical areas, 238, 345. *See also* Tropical areas
- Succulent Karoo, 46
- Sula bassana*, 355
- Sulfates, 765, 829

Sulfur dioxide scenarios, 160. *See also* Scenarios  
 Sulfur dioxide (SO<sub>2</sub>), 461, 765  
 Supplemental irrigation, 211  
 Surface air temperature  
   in Asia, 541, 544–547, 564  
   in Europe, 647  
   in small island states, 60, 850–852  
   20th century increase in, 3  
 Surprises, 93  
 Sustainable development  
   adaptive capacity and, 899  
   in Asia, 575, 581  
   in Australia/New Zealand region, 614  
   elements of, 85  
   in Europe, 680–681  
   explanation of, 82  
   goals for, 63, 82  
   in human settlements, 389, 391, 404  
   for insurance services, 775  
   management of, 385  
   in polar regions, 805, 831  
   in small island states, 60–61, 862  
   vulnerability and, 72  
 Sweetcorn cultivation, 610  
 Switchweed (*Panicum virgatum*), 394  
*Synechococcus*, 817  
 Synergies, 93–94  
*Syringodium filiforme*, 859

## T

*Technical Guidelines for Assessing Climate Change Impacts and Adaptations* (Intergovernmental Panel on Climate Change), 152  
 Technology transfer, 46  
 Temperate Asia, 541, 542, 576–577. *See also* Asia; *specific countries*  
 Temperature. *See also* Sea-surface temperature (SST); Surface air temperature; *specific areas*  
   after 1990, 71  
   agriculture and variation in, 237  
   carbon dioxide concentrations and, 254–255  
   climate change impact and, 915, 917, 923  
   commodity prices and, 238  
   emergent findings related to, 3–4  
   human health and, 453–454, 696  
   insurance services and extremes in, 39, 423–425  
   magnitude of change of, 91  
   malaria and, 464, 465  
   mortality related to increased, 5, 49, 397–398, 453, 461, 474, 516, 596, 619, 696  
   permafrost and, 820–821  
   precipitation and, 31, 203  
   projected energy demand based on, 5, 6  
   rate of change of, 91  
   tropical areas and, 710  
   water-borne diseases and, 59  
   water quality and, 31, 207–208  
   wetlands and, 307

Temporal analogs, 165  
 Terrestrial ecosystems  
   in Australia/New Zealand region, 51, 628  
   climate change impacts on, 1, 33–34, 244, 246, 812, 924  
   in polar regions, 824–825  
   storage of carbon by, 34  
*Thalassia testudinum*, 859  
 Thermal stratification, 207–208  
 Thermal stress. *See also* Cold spells; Heat waves  
   adaptation options for, 475  
   in Asia, 570  
   in Europe, 672–673  
   human health and, 43, 44, 384, 453, 457–458, 761  
   in Latin America, 719  
 Thermohaline circulation  
   nonlinear response to, 948, 950–951  
   in polar regions, 804, 816, 819, 831–832  
   role of, 349, 350  
*Third Assessment Report: Cross-Cutting Issues Guidance Papers* (Intergovernmental Panel on Climate Change), 21, 23, 77, 81, 83, 86–87, 99, 115, 128, 171, 347, 387, 421, 744, 915  
 Thunderstorms, 462, 761  
 Tibetan Plateau, 555  
 Tick-borne diseases, 470, 673, 738, 763  
 Tick-borne encephalitis (TBE), 470–471, 673. *See also* Encephalitis  
 Tidal marshes, 360  
 Timber. *See also* Forestry  
   adaptation and, 34, 59, 295–296  
   climate change impacts on, 6, 11, 34, 240  
   industrial, 295  
   from managed forests, 6, 34  
   status of, 288–289, 294–295  
 Time scales, 83  
 Tolerable windows, 119  
 Tool to Assess Regional and Global Environmental and Health Targets for Sustainability (TARGETS), 156, 171, 173–174  
 Tornados, 762. *See also* Extreme climate events  
 Toronto-Niagara Region Study (TNR), 778  
 Tourism. *See also* Recreation  
   in Asia, 573  
   in Australia/New Zealand region, 617–618  
   in coastal zones, 395  
   in Europe, 643, 649, 659, 660, 672  
   in Latin America, 717  
   in North America, 739, 766–767, 769–770, 827  
   in small island states, 61, 62, 861–862  
   to view wildlife, 277  
 Toxic substances  
   algal blooms, 43, 366, 472, 619, 659, 720, 754  
   in lakes and streams, 303  
   in marine ecosystems, 355  
 Toxoplasmosis, 764  
*Trachurus declivis*, 351  
*Trachurus murphyi*, 351

- Trade  
 in Africa, 491–492  
 in Australia/New Zealand region, 601, 614–615, 627  
 in Latin America, 697, 706
- Tradeoffs, 93–94
- Translocation, 278, 279
- Transportation. *See also* Infrastructure  
 climate change and, 401, 573  
 energy consumption and, 389  
 in Europe, 671–672  
 in polar regions, 828
- Tree rings, 112
- Tremarctos ornatus*, 69, 272
- Trichiarus lepturus*, 351
- Tropical areas  
 adaptation to climate change in, 238  
 coastlines in, 345, 601  
 deforestation in, 239, 708  
 streamflow in, 204  
 temperature change in, 710
- Tropical Asia, 535, 541, 542, 577–578. *See also* Asia;  
*specific countries*
- Tropical cyclones. *See also* Extreme climate events  
 in Asia, 49, 543, 568–569  
 in Australia/New Zealand region, 52, 599–601, 619  
 explanation of, 383  
 human health and, 460  
 in human settlements, 38, 383, 396–397  
 insurance services and, 40  
 intensity projections for, 92, 348–349  
 in Latin America, 703  
 in small island states, 854
- Tropical forests, 708–710. *See also* Forest ecosystems
- Tropical glaciers, 208–209, 928, 930
- Tropospheric ozone (O<sub>3</sub>), 254, 292
- Tropospheric ozone scenarios, 160–161. *See also* Scenarios
- Tuamotu sandpiper (*Prosbonia cancellata*), 860
- Tuktoyaktuk, 362
- Tuna, 351, 353
- Tundra, 60, 753
- U**
- UKCIP scenarios, 155. *See also* Scenarios
- UKHIV equilibrium scenario, 260
- Uncertainty  
 aggregation and cascade of, 130  
 characterization of, 226  
 confidence scale and, 79  
 cost of, 123–124  
 in crop models, 267, 268  
 decisionmaking under, 221  
 explanation of, 126–127  
 information needs regarding, 73, 956  
 regional climate, 95  
 regulatory, 435  
 risk and, 96, 627, 893  
 in scenarios, 158, 169–170  
 in socioeconomic conditions, 95–96  
 sources of, 127, 919  
 treatment of, 23, 108, 127–129, 945  
 wildlife, 280
- Undernourishment. *See* Malnourishment
- UNFCCC. *See* United Nations Framework Convention on  
 Climate Change (UNFCCC)
- Unique phenomena, 92. *See also* Extreme climate events
- United Kingdom (UK). *See also* Europe  
 coastal infrastructure in, 365  
 cost of climate change impacts on water resources for,  
 216  
 precipitation in, 197  
 use of managed retreat in, 368  
 water supply companies in, 197
- United Nations Institute for Training and Research (UNITAR),  
 866
- United Nations Commission on Sustainable Development,  
 195
- United Nations Comprehensive Assessment of the  
 Freshwater Resources of the World, 210
- United Nations Conference on Environmental Development  
 (UNCED), 706
- United Nations Convention on Biodiversity, 706
- United Nations Convention to Combat Desertification  
 (UNCCD), 517, 706
- United Nations Development Programme (UNDP), 87, 100,  
 442, 503
- United Nations Environmental Programme (UNEP), 21, 87,  
 88, 100, 153  
 financial services initiatives of, 439–440  
 International Environmental Technology Center, 500  
 ozone depletion and, 461  
 Pakistan Country Study, 154
- United Nations Food and Agriculture Organization (FAO),  
 473
- United Nations Framework Convention on Climate Change  
 (UNFCCC)  
 Article 2, 915, 917  
 Conference of Parties, 87  
 focus of, 77, 84, 99, 119, 784  
 Latin America and, 706, 707  
 national communications to, 88, 89  
 planned anticipatory adaptation and, 891  
 precautionary approach used in, 98  
 provisions of, 420, 443–444  
 responses of, 87
- United Nations Office for the Coordination of Humanitarian  
 Affairs (UN-OCHA), 441
- United States. *See also* North America  
 cost of climate change impacts on water resources for,  
 216  
 floods in, 762  
 food-borne disease in, 765  
 insurance sector in, 739  
 precipitation in, 197  
 renewable energy in, 399  
 use of managed retreat in, 368  
 vector-borne diseases in, 59, 762–763

Urban settlements. *See also* Human settlements  
 adaptation in, 403–404  
 air pollution in, 43, 44, 398–399, 453, 460, 719, 752  
 in Asia, 572, 577  
 climate change impacts on, 12, 33, 36, 37, 38, 43, 387,  
 390, 397–399  
 economic effects on, 36, 389  
 in Europe, 672  
 floods in, 395  
 growth rates in, 388  
 human health in, 397–398, 724  
 liquid waste disposal in, 409  
 migration and, 397  
 in North America, 743  
 poverty in, 388  
 “sustainable cities” and, 404  
 synergistic effects and, 410  
 temperature increases in, 56  
 water pollution in, 398  
 water resources in, 224–225, 409

*Ursus maritimus*, 354

U.S. Agency for International Development (USAID),  
 508

U.S. Country Studies Program, 650

U.S. National Assessment, 155, 756

UV-B radiation

Arctic biota and, 825–826

freshwater organisms and, 303

human health and, 461, 571, 618

ozone depletion and, 461, 818, 825

UV-B radiation scenarios, 161–162. *See also* Scenarios

## V

*Vaccinium vitis-idaea*, 661

Validation issues, 98–99

Valuation. *See also* Costing; Economic issues

assessment and, 25–26

of climate change impacts, 401–402

of ecosystem services, 243–244

methods of, 97, 107–108, 120–126

Variability. *See* Climate variability

Vector-borne diseases. *See also* Diseases; Human health

adaptive measures for, 44, 475, 886

in Africa, 489, 491

in Asia, 49–50, 570–571

in Australia/New Zealand region, 619–621

climate change impacts on, 12, 43, 46, 397, 453–454,  
 462, 464, 927, 939

El Niño and, 476

in Europe, 54, 673

in Latin America, 56, 696, 720

in North America, 59, 738, 762–763

populations at risk for, 463–464

projected increase in exposure to, 5

in small island states, 62, 864

Vegetation

catchment, 198

climate change impacts on, 35, 924

ecosystem disruption and changes in, 11  
 evaporation and, 198  
 in human settlements, 752  
 in polar regions, 804, 805, 814, 815, 821  
 predicting change in, 251  
 rangeland, 284 (*See also* Rangeland ecosystems)  
 Vegetation/Ecosystem Modeling and Analysis Project  
 (VEMAP), 249–250, 751  
 Vertebrate wildlife, 271  
*Vibrio spp.*, 355, 472, 720, 721  
 Vienna Convention on the Protection of the Stratospheric  
 Ozone Layer, 707  
 Viruses. *See* Diseases; Human health  
 Volatile organic carbons (VOCs), 399  
 Vulnerability. *See also specific areas*  
 adaptive capacity and, 893–895  
 advances in understanding of, 89–91  
 agricultural sector, 237–238, 270  
 arctic region, 241–242, 314  
 coastal zone, 36, 363, 367–368, 372  
 developing countries, 8, 70–71, 442, 939  
 development rate and, 71–72  
 disaster, 458–459  
 explanation of, 6, 363, 865  
 financial services and insurance sector, 421, 431–435  
 flood, 223, 749, 750  
 forests and woodlands, 296  
 human health and, 457, 474, 477, 864  
 of human settlements, 5–6, 12–14, 44, 388–389,  
 391–399, 409–410, 458–459, 624–625, 767–769  
 information needs regarding, 73  
 lakes and streams, 304  
 natural systems, 9–14  
 rangeland, 239, 286  
 by region, 14–17  
 wetlands, 241  
 wildlife, 238, 239, 280  
 Vulnerability assessments  
 conceptual framework for, 364  
 emissions reduction policy and, 87–88, 118  
 function of, 115  
 improvement in, 17  
 scales for, 392  
 socioeconomic impacts as part of, 362–363

## W

Walleye pollock (*Theragra chalcogramma*), 351

Waste management, 618

Water-borne diseases

adaptation options to reduce, 44, 475

in Africa, 513

in Asia, 50, 571

climate change and, 12, 46, 471–472, 621

in Europe, 673–674

in Latin America, 56, 696, 720–721

in North America, 59, 763–764

projected increase in exposure to, 5

in small island states, 62, 864

- Water demand
  - in Asia, 565–566
  - dimensions of, 210
  - rangelands and, 282
  - variations in, 31, 194
- Water management
  - adaptation to climate change and, 223–224, 226–227
  - approaches to, 9, 219–221
  - in Australia/New Zealand region, 602
  - climate change impacts on, 31
  - in Europe, 643, 656, 672, 674–675
  - factors affecting adaptive capacity and, 222–223
  - implications of climate change for policy on, 221–222
  - in North America, 742–743
  - overview of, 195, 218–219
  - science and information needs for, 225–227
  - in small island states, 861
  - supply-side vs. demand-side, 219, 220, 222
- Water markets, 748
- Water pollution
  - climate change and, 384–385, 410
  - disease and, 513
  - explanation of, 207
  - floods and, 749–750, 762
  - in urban settlements, 398
- Water quality
  - in Australia/New Zealand region, 603
  - climate change and, 9
  - effect of temperature on, 31, 207–208
  - estuarine and marine, 355
  - factors involved in, 207–208, 355
  - in North America, 737, 748–749
- Water resources. *See also specific areas*
  - adaptation and adaptive capacity for, 64, 268–269, 747–748, 901
  - in Africa, 45, 489, 494–500, 520–521
  - agriculture and, 757
  - in arid and semi-arid regions, 394
  - in Asia, 48, 537, 562–565, 577
  - in Australia/New Zealand region, 50, 51, 593, 595, 600, 628
  - carbon dioxide concentrations and, 255
  - catchment and system case studies for, 213–217
  - climate change impacts on, 31, 194, 195–197, 209, 213–218, 383–384, 402
  - conflict and, 225
  - degradation of, 32, 238
  - effects on related sectors and, 224–225
  - in Europe, 53, 643, 655
  - in Latin America, 54–55, 695, 718
  - in North America, 57, 58, 737, 745–748, 757–758
  - overview of, 195, 212–213
  - per capita, 214
  - pricing to reflect scarcity of, 210
  - projections for, 5, 6
  - in small island states, 62, 860–861, 864
  - in urban settlements, 224–225, 409
  - vulnerability of, 9
- Water resources scenarios, 162–163. *See also* Scenarios
- Water rights, 748
- Water-stressed countries
  - climate change impacts on, 9, 31
  - populations in, 213, 214
- Water-use efficiency (WUE), 593, 716
- Water withdrawal
  - municipal, 210
  - overview of, 209–210
  - sensitivity of demand to climate change and, 211–212
  - world water use and, 210–211
- Wave height, 348
- Weather extremes. *See* Extreme climate events
- Webworm (*Herpetogramma licarissalis*), 614
- Weil's disease, 720. *See also* Leptospirosis
- Wetlands
  - adaptation for, 241
  - in Australia/New Zealand region, 366, 605
  - carbon sink and, 305–306, 309–311
  - climate change impacts on, 34, 241, 307–311
  - coastal, 358, 360, 567
  - conservation of, 366
  - in Europe, 644
  - food and fiber production and, 306
  - habitat and biodiversity of, 305
  - human activities in, 753
  - management of, 753
  - in North America, 753
  - overview of, 304–305
  - peat-accumulating, 241
  - in polar regions, 823
  - pressures on, 306–307
  - vulnerability of, 241
- Wheat crops. *See* Grain crops
- Wildfires. *See* Fires
- Wildlife
  - in arctic and alpine ecosystems, 242
  - climate change impacts on, 238–239, 271, 754, 924–925, 929–930
  - endangered or extinct, 238, 239, 271–272
  - equity issues and, 280
  - goods and services provided by, 239, 272, 276–280
  - human adaptation to changes in, 278–280
  - pressures on, 272–273
  - in protected areas, 754
  - responses of, 273–278
  - state of, 271–272
  - vertebrate, 271
  - vulnerabilities, sensitivities, and uncertainties related to, 280
- Wind energy, 399
- Wind extremes, 425
- Windstorms
  - in Europe, 649
  - in human settlements, 384, 396
  - insurance sector and, 427
- Woodlands. *See* Forest ecosystems
- Working Group on Public Health and Fossil Fuel Combustion, 476

Workshop on the Social and Economic Impacts of Weather  
(National Center for Atmospheric Research), 402

World Bank, 87, 100  
  natural disaster relief and, 442, 443  
  water resources management and, 197

World Climate Conferences, 88

World Commission for Water, 195

World Commission on Environment and Development  
(WCED), 82

World Food Programme, 460, 508

World Glacier Monitoring Service, 208

World Health Organization (WHO), 471, 763

World Institute for Disaster Risk Management, 437

World Meteorological Organization, 21, 88, 706

World Water Council, 195

**Y**

Yellow fever, 463, 468, 763

**Z**

*Zostera marina*, 859

*Zosterops samoensis*, 860

---